

# PINK PORCELIAN

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 12/31/2014 Version: 1.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Product name : PINK PORCELIAN  
Product code : H0143

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Restroom and bowl cleaner

#### 1.3. Details of the supplier of the safety data sheet

CleanPak Products LLC.  
221 Hobbs Street Suite 108  
Tampa, FL 33619  
T 813-740-8611 - F 813-740-8218  
[admin@cleanpakproducts.com](mailto:admin@cleanpakproducts.com) - [www.cleanpakproducts.com](http://www.cleanpakproducts.com)

#### 1.4. Emergency telephone number

Emergency number : 1-800-535-5053  
InfoTrac

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### GHS-US classification

Flam. Liq. 4 H227  
Skin Corr. 1A H314  
Aquatic Acute 3 H402

Full text of H-phrases: see section 16

#### 2.2. Label elements

##### GHS-US labelling

Hazard pictograms (GHS-US) :



GHS05

Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : H227 - Combustible liquid  
H314 - Causes severe skin burns and eye damage  
H402 - Harmful to aquatic life

Precautionary statements (GHS-US) : P273 - Avoid release to the environment  
P280 - Wear gloves and protective eyewear  
P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting  
P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower  
P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing  
P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P310 - Immediately call a physician  
P363 - Wash contaminated clothing before reuse  
P403+P235 - Store in a well-ventilated place. Keep cool  
P405 - Store locked up  
P501 - Dispose of contents/container in accordance with local/regional/national/international regulations

#### 2.3. Other hazards

No additional information available

#### 2.4. Unknown acute toxicity (GHS-US)

Not applicable

# PINK PORCELIAN

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 3: Composition/information on ingredients

#### 3.1. Substance

Not applicable

#### 3.2. Mixture

Name	Product identifier	%	GHS-US classification
hydrochloric acid, conc=30%, aqueous solution	(CAS No) 7647-01-0	<= 9	Skin Corr. 1A, H314
phosphoric acid ... %	(CAS No) 7664-38-2	<= 5	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314
dodecylbenzenesulphonic acid	(CAS No) 27176-87-0	<= 5	Acute Tox. 4 (Oral), H302 Skin Corr. 1A, H314 Aquatic Acute 2, H401
benzaldehyde	(CAS No) 100-52-7	<= 1	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Aquatic Acute 2, H401

Full text of H-phrases: see section 16

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

- First-aid measures general : IF exposed or concerned: Get medical advice/attention.
- First-aid measures after inhalation : Remove to fresh air and keep at rest in a position comfortable for breathing.
- First-aid measures after skin contact : Rinse with water.
- First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- First-aid measures after ingestion : Give milk to drink. Obtain emergency medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries after skin contact : Causes skin irritation.
- Symptoms/injuries after eye contact : Causes serious eye irritation.
- Symptoms/injuries after ingestion : Burns to the gastric/intestinal mucosa.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

- Suitable extinguishing media : Quantities of water.

#### 5.2. Special hazards arising from the substance or mixture

- Reactivity : Reacts violently with (strong) bases. Reacts violently with (strong) oxidizers.

#### 5.3. Advice for firefighters

No additional information available

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

- Protective equipment : Safety glasses. Gloves.

##### 6.1.2. For emergency responders

- Protective equipment : Equip cleanup crew with proper protection.
- Emergency procedures : Stop release. Ventilate area.

#### 6.2. Environmental precautions

No additional information available

#### 6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Collect spillage.

#### 6.4. Reference to other sections

No additional information available

# PINK PORCELIAN

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Do not get in eyes, on skin, or on clothing.  
Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

#### 7.2. Conditions for safe storage, including any incompatibilities

No additional information available

#### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

PINK PORCELIAN		
ACGIH	Not applicable	
OSHA	Not applicable	
hydrochloric acid, conc=30%, aqueous solution (7647-01-0)		
ACGIH	ACGIH Ceiling (ppm)	2 ppm
OSHA	Not applicable	
phosphoric acid ... % (7664-38-2)		
ACGIH	ACGIH TWA (mg/m <sup>3</sup> )	1 mg/m <sup>3</sup>
ACGIH	ACGIH STEL (mg/m <sup>3</sup> )	3 mg/m <sup>3</sup>
OSHA	Not applicable	
dodecylbenzenesulphonic acid (27176-87-0)		
ACGIH	Not applicable	
OSHA	Not applicable	
benzaldehyde (100-52-7)		
ACGIH	Not applicable	
OSHA	Not applicable	

#### 8.2. Exposure controls

No additional information available

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid  
Colour : pink  
Odour : There may be no odour warning properties, odour is subjective and inadequate to warn of overexposure.  
Mixture contains one or more component(s) which have the following odour(s):  
Irritating/pungent odour, Almost odourless, Almond odour  
Odour threshold : No data available  
pH : <= 1  
pH solution : ≈ 1  
Relative evaporation rate (butylacetate=1) : No data available  
Melting point : No data available  
Freezing point : No data available  
Boiling point : <= 100 °C  
Flash point : No data available  
Auto-ignition temperature : No data available  
Decomposition temperature : No data available  
Flammability (solid, gas) : No data available  
Vapour pressure : No data available  
Relative vapour density at 20 °C : No data available

# PINK PORCELIAN

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Specific gravity	: $\approx$ 1.036
Solubility	: Soluble in water. Water: Solubility in water of component(s) of the mixture : • hydrochloric acid, conc=30%, aqueous solution: Complete • nonylphenoxypoly(ethyleneoxy)ethanol: soluble • benzaldehyde: 0.3 g/100ml
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Reacts violently with (strong) bases. Reacts violently with (strong) oxidizers.

### 10.2. Chemical stability

Not established.

### 10.3. Possibility of hazardous reactions

Not established.

### 10.4. Conditions to avoid

No additional information available

### 10.5. Incompatible materials

Oxidizing agent. Strong bases.

### 10.6. Hazardous decomposition products

None known.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Not classified  
(Based on available data, the classification criteria are not met)

phosphoric acid ... % (7664-38-2)	
LD50 oral rat	1530 mg/kg (Rat)
LD50 dermal rabbit	2740 mg/kg (Rabbit)
ATE US (oral)	1530.000 mg/kg bodyweight
ATE US (dermal)	2740.000 mg/kg bodyweight
dodecylbenzenesulphonic acid (27176-87-0)	
LD50 oral rat	650 mg/kg (Rat; Literature study)
ATE US (oral)	650.000 mg/kg bodyweight
benzaldehyde (100-52-7)	
LD50 oral rat	1300 mg/kg (Rat)
LD50 dermal rat	> 1250 mg/kg (Rat)
LD50 dermal rabbit	5000 mg/kg (Rabbit)
ATE US (oral)	1300.000 mg/kg bodyweight
ATE US (dermal)	5000.000 mg/kg bodyweight

Skin corrosion/irritation : Causes severe skin burns and eye damage.  
(Based on available data, the classification criteria are not met)  
pH:  $\leq$  1

Serious eye damage/irritation : Not classified  
(Based on available data, the classification criteria are not met)  
pH:  $\leq$  1

# PINK PORCELIAN

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### phosphoric acid ... % (7664-38-2)

Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity	: Not classified (Lack of data)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)

### hydrochloric acid, conc=30%, aqueous solution (7647-01-0)

IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)
Symptoms/injuries after skin contact	: Causes skin irritation.
Symptoms/injuries after eye contact	: Causes serious eye irritation.
Symptoms/injuries after ingestion	: Burns to the gastric/intestinal mucosa.

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general	: No known adverse effects on the functioning of water treatment plants under normal use conditions as recommended.
Ecology - air	: Not classified as dangerous for the ozone layer (Regulation (EC) No 1005/2009).

### hydrochloric acid, conc=30%, aqueous solution (7647-01-0)

LC50 fishes 1	282 mg/l (96 h; Gambusia affinis; Pure substance)
LC50 fish 2	862 mg/l (96 h; Leuciscus idus; Pure substance)
TLM fish 1	282 ppm (96 h; Gambusia affinis; Pure substance)

### dodecylbenzenesulphonic acid (27176-87-0)

LC50 fishes 1	3.2 - 5.6 mg/l 96 h; Salmo gairdneri (Oncorhynchus mykiss)
EC50 Daphnia 1	1 - 10 mg/l (48 h; Daphnia magna; GLP)
LC50 fish 2	3.5 - 10 mg/l (96 h; Brachydanio rerio)
EC50 Daphnia 2	5.88 mg/l (48 h; Daphnia magna)
TLM fish 1	4.2 - 5.6,96 h; Lepomis macrochirus; Soft water
TLM fish 2	4.2 - 5.6,96 h; Pimephales promelas; Soft water
Threshold limit algae 1	29 mg/l (96 h; Selenastrum capricornutum)
Threshold limit algae 2	127.9 mg/l (72 h; Scenedesmus subspicatus; GLP)

### benzaldehyde (100-52-7)

LC50 fishes 1	1.1 mg/l (96 h; Lepomis macrochirus)
EC50 Daphnia 1	50 mg/l (24 h; Daphnia magna)
EC50 other aquatic organisms 1	534 mg/l (5 h; Bacteria; Activated sludge)
LC50 fish 2	11.2 mg/l 96 h; Salmo gairdneri (Oncorhynchus mykiss)
Threshold limit other aquatic organisms 1	132 mg/l (Pseudomonas putida)
Threshold limit algae 1	100 mg/l (336 h; Chlorella sp.; Inhibitory)
Threshold limit algae 2	34 mg/l (Scenedesmus quadricauda)

### 12.2. Persistence and degradability

#### PINK PORCELIAN

Persistence and degradability	Not established.
-------------------------------	------------------

### hydrochloric acid, conc=30%, aqueous solution (7647-01-0)

Persistence and degradability	Biodegradability: not applicable. No (test)data on mobility of the components available.
-------------------------------	--

### dodecylbenzenesulphonic acid (27176-87-0)

Persistence and degradability	Readily biodegradable in water. Low potential for adsorption in soil.
-------------------------------	---

# PINK PORCELIAN

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>hydrochloric acid, conc=30%, aqueous solution (7647-01-0)</b>	
Chemical oxygen demand (COD)	2.41 g O <sub>2</sub> /g substance
<b>benzaldehyde (100-52-7)</b>	
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil.
Biochemical oxygen demand (BOD)	1.62 g O <sub>2</sub> /g substance
Chemical oxygen demand (COD)	1.98 g O <sub>2</sub> /g substance
ThOD	2.42 g O <sub>2</sub> /g substance
BOD (% of ThOD)	0.67 % ThOD

### 12.3. Bioaccumulative potential

<b>hydrochloric acid, conc=30%, aqueous solution (7647-01-0)</b>	
Log Pow	0.3 (Literature)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
<b>dodecylbenzenesulphonic acid (27176-87-0)</b>	
BCF fish 1	108 - 551 (Pisces)
BCF fish 2	130 (72 h; Leuciscus idus)
BCF other aquatic organisms 1	140 (120 h; Bacteria)
BCF other aquatic organisms 2	60 (24 h; Chlorophyta)
Log Pow	1.96
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
<b>benzaldehyde (100-52-7)</b>	
BCF other aquatic organisms 1	4.2 - 7.8 (Estimated value)
Log Pow	1.48 (Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).

### 12.4. Mobility in soil

<b>hydrochloric acid, conc=30%, aqueous solution (7647-01-0)</b>	
Ecology - soil	May be harmful to plant growth, blooming and fruit formation.
<b>dodecylbenzenesulphonic acid (27176-87-0)</b>	
Surface tension	35 N/m (25 °C; 800 mg/l)
<b>benzaldehyde (100-52-7)</b>	
Surface tension	0.040 N/m (20 °C)

### 12.5. Other adverse effects

Effect on ozone layer :  
Effect on the global warming : No known ecological damage caused by this product.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

No additional information available

## SECTION 14: Transport information

In accordance with DOT  
Transport document description : UN1789 Hydrochloric acid, 8, III  
UN-No.(DOT) : UN1789  
Proper Shipping Name (DOT) : Hydrochloric acid  
Department of Transportation (DOT) Hazard Classes : 8 - Class 8 - Corrosive material 49 CFR 173.136  
Hazard labels (DOT) : 8 - Corrosive



Packing group (DOT) : III - Minor Danger  
DOT Packaging Exceptions (49 CFR 173.xxx) : 154 Limited Quantity

# PINK PORCELIAN

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Additional information

Other information : No supplementary information available.

### ADR

No additional information available

### Transport by sea

UN-No. (IMDG) : 1789  
Proper Shipping Name (IMDG) : HYDROCHLORIC ACID  
Class (IMDG) : 8 - Corrosive substances  
Packing group (IMDG) : III - substances presenting low danger

### Air transport

UN-No.(IATA) : 1789  
Proper Shipping Name (IATA) : HYDROCHLORIC ACID  
Class (IATA) : 8 - Corrosives  
Packing group (IATA) : III - Minor Danger

## SECTION 15: Regulatory information

### 15.1. US Federal regulations

#### phosphoric acid ... % (7664-38-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory  
Not listed on the United States SARA Section 313

RQ (Reportable quantity, section 304 of EPA's List of Lists)	5000 lb
--	---------

### 15.2. International regulations

#### CANADA

#### EU-Regulations

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Not classified

#### 15.2.2. National regulations

No additional information available

### 15.3. US State regulations

#### phosphoric acid ... % (7664-38-2)

U.S. - Massachusetts - Right To Know List  
U.S. - New Jersey - Right to Know Hazardous Substance List  
U.S. - Pennsylvania - RTK (Right to Know) List

## SECTION 16: Other information

# PINK PORCELIAN

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Full text of H-phrases:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 2	Hazardous to the aquatic environment — Acute Hazard, Category 2
Aquatic Acute 3	Hazardous to the aquatic environment — Acute Hazard, Category 3
Flam. Liq. 4	Flammable liquids, Category 4
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
H227	Combustible liquid
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H401	Toxic to aquatic life
H402	Harmful to aquatic life

SDS US (GHS HazCom 2012)

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*