Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Product form	: Mixture
Product name	: DELIMER PLUS
Product code	: P280
1.2. Relevant identified uses of the	e substance or mixture and uses advised against
Use of the substance/mixture	: REMOVE LIME DEPOSITSAND MINERAL BUILD UP
Use of the substance/mixture	: Cleansing product
1.3. Details of the supplier of the s	afety data sheet
CleanPak Products LLC. 221 Hobbs Street Suite 108 Tampa, Fl 33619 T 813-740-8611 - F 813-740-8218 admin@cleanpakproducts.com - www.clea	anpakproducts.com
1.4. Emergency telephone number	
Emergency number	: 1-800-535-5053 InfoTrac
SECTION 2: Hazards identificati	
2.1. Classification of the substanc	
Classification (GHS-US)	
Skin Corr. 1A H314	
Skin Corr. 1A H314	
Skin Corr. 1A H314	
Skin Corr. 1A H314 Full text of H-phrases: see section 16	
GHS-US labeling	
Skin Corr. 1A H314 Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling	:
Skin Corr. 1A H314 Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US)	: GHS05 : Danger
Skin Corr. 1AH314Full text of H-phrases: see section 162.2.Label elements	

Unknown acute toxicity (GHS-US) 2.4.

Not applicable

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 3: Composition/information on ingredients 3.1. Substance Not applicable 3.2. **Mixture** Name **Product identifier** % Classification (GHS-US) hydrochloric acid. conc=30%. aqueous solution (CAS No) 7647-01-0 80 Skin Corr. 1A. H314 phosphoric acid ... % 0.85 - 4.25 Skin Corr. 1B, H314 Full text of H-phrases: see section 16 **SECTION 4: First aid measures Description of first aid measures** 4.1. First-aid measures after inhalation : Remove the victim into fresh air. Call a physician immediately. First-aid measures after skin contact When symptoms occur: rinse immediately with plenty of water. Wash contaminated clothing before reuse. First-aid measures after eye contact Immediately rinse with water for a prolonged period while holding the eyelids wide open. First-aid measures after ingestion Rinse mouth. Give milk to drink. 4.2. Most important symptoms and effects, both acute and delayed Symptoms/injuries : Causes severe skin burns and eye damage. Symptoms/injuries after inhalation May cause respiratory irritation. Symptoms/injuries after skin contact : Caustic burns/corrosion of the skin. : Causes serious eve irritation. Causes serious eve damage. Symptoms/injuries after eye contact 4.3. Indication of any immediate medical attention and special treatment needed Treat symptomatically. SECTION 5: Firefighting measures 5.1. **Extinguishing media** Suitable extinguishing media : EXTINGUISHING MEDIA FOR SURROUNDING FIRES: Unsuitable extinguishing media : No unsuitable extinguishing media known. 5.2. Special hazards arising from the substance or mixture Fire hazard : Not easily combustible. Reactivity Reacts with (some) bases. 5.3. Advice for firefighters Protection during firefighting : Self-contained breathing apparatus. Complete protective clothing. SECTION 6: Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures 6.1.1. For non-emergency personnel Protective equipment : Safety glasses. Gloves. 612 For emergency responders No additional information available **Environmental precautions** 6.2. No additional information available 6.3. Methods and material for containment and cleaning up : Neutralize spill with quicklime or soda ash. Collect the spill only if it is in a dry state. Methods for cleaning up 6.4. **Reference to other sections** No additional information available **SECTION 7: Handling and storage** 7.1. Precautions for safe handling : Avoid contact with skin, eyes and clothing. Do not eat, drink or smoke when using this product. Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or Hygiene measures smoking and when leaving work.

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

7.2. Conditions for safe storage, include	ling any incompatibilities
Storage conditions	: Store in a dry place. Store in a closed container. Store in a well-ventilated place.
Incompatible products	: Oxidizing agent. Strong bases.
Incompatible materials	: Metals.
Maximum storage period	: < 2 year

### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

8.1. Control paramete	re
	10
DELIMER PLUS	
ACGIH	Not applicable
OSHA	Not applicable
hydrochloric acid, conc=3	30%, aqueous solution (7647-01-0)
OSHA	Not applicable
phosphoric acid %	
OSHA	Not applicable
8.2. Exposure control	s ·

## Appropriate engineering controls

Personal protective equipment

- : Ensure good ventilation of the work station.
- : Gloves. Safety glasses.

Hand protection Eye protection : Gloves.: Chemical goggles or safety glasses.

### **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and	d chemical properties
Physical state	: Liquid
Color	: milky;white
Odor	: sharp
Odor threshold	: No data available
рН	: <1
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: < 80 °C
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Specific gravity	: ≈ 1.04
Solubility	: Soluble in water. Water: ≈ 100 %
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available

## Safety Data Sheet

Oxidizing properties	: No data available	
Explosive limits	: No data available	
9.2. Other information		
No additional information availab	le	
SECTION 10: Stability ar	d reactivity	
10.1. Reactivity		
Reacts with (some) bases.		
10.2. Chemical stability		
Stable under normal conditions.		
10.3. Possibility of hazard	ous reactions	
Refer to section 10.1 on Reactive	y.	
10.4. Conditions to avoid		
Keep out ofthe reach of Children		
10.5. Incompatible materia	S	
Oxidizing agent.		
10.6. Hazardous decompo	sition products	
None known.		

Information on toxicological effects 11.1.

: Not classified

phosphoric acid %	
LD50 oral rat	2600 mg/kg body weight (Rat; Equivalent or similar to OECD 423; Experimental value)
LD50 dermal rabbit	2740 mg/kg body weight (Rabbit; No reliable data available)
ATE US (oral)	2600.000 mg/kg body weight
ATE US (dermal)	2740.000 mg/kg body weight
Skin corrosion/irritation	: Causes severe skin burns and eye damage.
	pH: < 1
Serious eye damage/irritation	: Not classified
	pH: < 1
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
hydrochloric acid, conc=30%, aqueous solut	ion (7647-01-0)
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: May cause respiratory irritation.
Symptoms/injuries after skin contact	: Caustic burns/corrosion of the skin.
Symptoms/injuries after eye contact	: Causes serious eye irritation. Causes serious eye damage.
eyptomo,junee and. eye contact	

## **SECTION 12: Ecological information**

12.1. Toxicity

Acute toxicity

hydrochloric acid, conc=30%, aqueous solution (7647-01-0)	
LC50 fish 1	282 mg/l (96 h; Gambusia affinis; Pure substance)
LC50 fish 2	862 mg/l (96 h; Leuciscus idus; Pure substance)
TLM fish 1	282 ppm (96 h; Gambusia affinis; Pure substance)

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

phosphoric acid %	
LC50 fish 1	138 mg/l (96 h; Pisces; Pure substance)
LC50 other aquatic organisms 1	100-1000,96 h; Protozoa; Pure substance
EC50 Daphnia 1	> 100 mg/l (48 h; Daphnia magna; Pure substance)
LC50 fish 2	100 - 1000 mg/l (Pisces; Pure substance)
LC50 other aquatic organisms 2	240 mg/l (96 h; Pure substance)
TLM fish 1	138 ppm (96 h; Gambusia affinis; Pure substance)
Threshold limit other aquatic organisms 1	100-1000,96 h; Protozoa; Pure substance
Threshold limit other aquatic organisms 2	240 mg/l (96 h; Pure substance)
Threshold limit algae 1	> 100 mg/l (72 h; Desmodesmus subspicatus; Pure substance)
Threshold limit algae 2	100 mg/l (72 h; Desmodesmus subspicatus; Pure substance)

### Persistence and degradability 12.2.

hydrochloric acid, conc=30%, aqueous solution (7647-01-0)		
Persistence and degradability	Biodegradability: not applicable. No (test)data on mobility of the components available.	
phosphoric acid %		
Persistence and degradability	Biodegradability: not applicable. No (test)data on mobility of the substance available.	
ThOD	Not applicable (inorganic)	

### 12.3. **Bioaccumulative potential**

hydrochloric acid, conc=30%, aqueous solution (7647-01-0)	
Log Pow	0.3 (Literature)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
phosphoric acid %	
Bioaccumulative potential	Not bioaccumulative.
12.4. Mobility in soil	

hydrochloric acid, conc=30%, aqueous solution (7647-01-0)	
Ecology - soil	May be harmful to plant growth, blooming and fruit formation.
12.5. Other adverse effects	
Effect on ozone layer	:
Effect on the global warming	: No known ecological damage caused by this product.

SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
<b>SECTION 14: Transport information</b>	1
In accordance with DOT	
Transport document description	: UN1789 Hydrochloric acid, 8, II
UN-No.(DOT)	: UN1789
Proper Shipping Name (DOT)	: Hydrochloric acid
Department of Transportation (DOT) Hazard Classes	: 8 - Class 8 - Corrosive material 49 CFR 173.136
Hazard labels (DOT)	: 8 - Corrosive

Packing group (DOT)

: II - Medium Danger

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Special Provisions (49 CFR 172.102)	<ul> <li>A3 - For combination packaging, if glass inner packaging (including ampoules) are used, they must be packed with absorbent material in tightly closed metal receptacles before packing in outer packaging.</li> <li>A6 - For combination packaging, if plastic inner packaging are used, they must be packed in tightly closed metal receptacles before packing in outer packaging.</li> <li>B3 - MC 300, MC 301, MC 302, MC 303, MC 305, and MC 306 and DOT 406 cargo tanks and DOT 57 portable tanks are not authorized.</li> <li>B15 - Packaging must be protected with non-metallic linings impervious to the lading or have a suitable corrosion allowance.</li> <li>IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized.</li> <li>N41 - Metal construction materials are not authorized for any part of a packaging which is normally in contact with the hazardous material.</li> <li>T8 - 4 178.274(d)(2) Normal Prohibited</li> <li>TP2 - a. The maximum degree of filling must not exceed the degree of filling determined by the following: (image) Where: tr is the maximum mean bulk temperature during transport, tf is the temperature in degrees celsius of the liquid during filling, and a is the mean coefficient of cubical expansion of the liquid between the mean temperature of the liquid during filling (tf) and the maximum mean bulk temperature during transport, to be the maximum mean bulk temperature of the liquid at 15 C (59 F) and 50 C (122 F), respectively.</li> <li>TP12 - This material is considered biply corrosive to steal</li> </ul>
DOT Packaging Exceptions (49 CFR 173.xxx)	TP12 - This material is considered highly corrosive to steel. : 154
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 202
DOT Packaging Bulk (49 CFR 173.xxx)	: 242
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 30 L
DOT Vessel Stowage Location	: C - The material must be stowed "on deck only" on a cargo vessel and on a passenger vessel.
Additional information	
Other information	: No supplementary information available.
ADR	
No additional information available	
Transport by sea	
UN-No. (IMDG)	: 1789
Proper Shipping Name (IMDG)	: HYDROCHLORIC ACID
Class (IMDG)	: 8 - Corrosive substances
Packing group (IMDG)	: II - substances presenting medium danger
Air transport	
UN-No.(IATA)	: 1789
Proper Shipping Name (IATA)	: HYDROCHLORIC ACID
Class (IATA)	: 8 - Corrosives
Packing group (IATA)	: II - Medium Danger
SECTION 15: Regulatory information	
15.1. US Federal regulations	
phosphoric acid %	
Listed on the United States TSCA (Toxic Substa Not listed on the United States SARA Section 3	
RQ (Reportable quantity, section 304 of EPA's	5000 lb

RQ (Reportable quantity, section 304 of EPA's List of Lists)

## 15.2. International regulations

### CANADA

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### **EU-Regulations**

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

### Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Not classified

**15.2.2.** National regulations No additional information available

### 15.3. US State regulations

### phosphoric acid ... %

U.S. - Massachusetts - Right To Know List

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) List

### **SECTION 16: Other information**

Full text of H-phrases:

i un toxt of it prilaboo.	
Skin Corr. 1A	Skin corrosion/irritation Category 1A
Skin Corr. 1B	Skin corrosion/irritation Category 1B
H314	Causes severe skin burns and eye damage
NFPA health hazard	: 1 - Exposure could cause irritation but only minor residual injury even if no treatment is given.
NFPA fire hazard	: 0 - Materials that will not burn.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	: 0 Minimal Hazard
Physical	: 0 Minimal Hazard

SDS US (GHS HazCom 2012)

**Personal Protection** 

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

: B