# Safety Data Sheet

Issue Date: 18-July-2016	Version 1	
	1. IDENTIFICATION	
Product Identifier		
Product Name	Surfcide II	
Other means of identification		
SDS #	H1122	
Recommended use of the chemic	cal and restrictions on use	
Recommended Use	For industrial use.	
Details of the supplier of the safe	ety data sheet	
CleanPak Products LLC.		
221 Hobbs Street Suite 108		
Tampa, Fl 33619		
T 813-740-8611 - F 813-740-8218		
admin@cleanpakproducts.com - <u>w</u>	ww.cleanpakproducts.com	
Emergency Telephone Number		
Company Phone Number Emergency Telephone (24 hr)	813-740-8611 INFOTRAC 1-352-323-3500 (International) 1-800-535-5053 (North America)	
	2. HAZARDS IDENTIFICATION	
Appearance Blue liquid	Physical State Liquid	Odor Lavender
<u>Classification</u>		
Skin corrosion/irritation		tegory 2
Serious eye damage/eye irritation	Cat	tegory 1
Signal Word		
Danger		
Hazard Statements		
Causes skin irritation Causes serious eye damage		
Par		



## **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection

## **Precautionary Statements - Response**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a poison center or doctor/physician

Page 1 / 7

IF ON SKIN: Wash with plenty of soap and water Take off contaminated clothing and wash it before reuse If skin irritation occurs: Get medical advice/attention

## **Other Hazards**

Toxic to aquatic life with long lasting effects

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS No	Weight-%
Di-n-alkyl Dimethyl Ammonium Chloride	68424-95-3	5-10
Alkyl dimethyl benzyl ammonium chloride (C12-16)	68424-85-1	1-5
Tetrasodium EDTA	64-02-8	1-5
Ethyl Alcohol	64-17-5	1-5

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

## 4. FIRST-AID MEASURES

## First Aid Measures

General Advice	Provide this SDS to medical personnel for treatment.		
Eye Contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Get immediate medical advice/attention.		
Skin Contact	Remove contaminated clothing; wash affected area with soap and water; launder contaminated clothing before reuse; if irritation persists, seek medical attention.		
Inhalation	Remove affected person to fresh air; provide oxygen if breathing is difficult.		
Ingestion	Give two glasses of water for dilution; Do not induce vomiting; never give anything by mouth to an unconscious person; seek medical attention.		
Most important symptoms and effects			
Symptoms	INHALATION: High concentrations are irritating to the respiratory tract; inhalation of mist may cause headache, dizziness, nausea, vomiting and malaise.		
	SKIN: Brief contact may cause slight irritation; prolonged contact may cause moderate reddening, swelling and possible necrosis.		
	EYES: Contact may cause irritation and pain associated with redness and swelling of the conjunctiva.		
	INGESTION: Low order of toxicity; may cause headache, dizziness, diarrhea and general weakness.		
Indication of any immediate medic	al attention and special treatment needed		

## Notes to Physician

## **5. FIRE-FIGHTING MEASURES**

## Suitable Extinguishing Media

Carbon dioxide, water, water fog, dry chemical, chemical foam.

#### Unsuitable Extinguishing Media Not determined.

#### Specific Hazards Arising from the Chemical

Product is not flammable.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Keep containers cool with water spray to prevent container rupture due to steam buildup; floor will become slippery if material is released.

#### 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal Precautions	Use personal protective equipment as required.

**Environmental Precautions** See Section 12 for additional Ecological Information.

#### Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so. Soak up and contain spill with an absorbent material.

Methods for Clean-Up Sweep up absorbed material and shovel into suitable containers for disposal.

## 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Wash face, hands, and any exposed skin thoroughly after handling. Use personal protection recommended in Section 8.

#### Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible Materials Strong oxidizers, Strong acids.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethyl Alcohol	STEL: 1000 ppm	TWA: 1000 ppm	IDLH: 3300 ppm
64-17-5		TWA: 1900 mg/m <sup>°</sup>	TWA: 1000 ppm
		(vacated) TWA: 1000 ppm	TWA: 1900 mg/m <sup>3</sup>
		(vacated) TWA: 1900 mg/m <sup>°</sup>	_

#### Appropriate engineering controls

Engineering Controls

Apply technical measures to comply with the occupational exposure limits.

#### Individual protection measures, such as personal protective equipment

Eye/Face Protection	Wear protective eyeglasses or chemical safety goggles.		
Skin and Body Protection	Neoprene or rubber gloves with cuffs; Coveralls, apron, or other equipment should be worn to minimize skin contact.		
Respiratory Protection	Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator.		

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical State Appearance Color	Liquid Blue liquid Blue	Odor Odor Threshold	Lavender Not determined
<u>Property</u> pH Melting Point/Freezing Point Boiling Point/Boiling Range Flash Point	<u>Values</u> 7.5-8.0 Not determined 100 °C / 212 °F Not flammable	Remarks • Method	
Evaporation Rate Flammability (Solid, Gas) Upper Flammability Limits Lower Flammability Limit Vapor Pressure	<ul> <li>&lt; 1</li> <li>Not determined</li> <li>Not determined</li> <li>Not determined</li> <li>17 mm Hg @ 20 ° C</li> </ul>	(Water = 1)	
Vapor Density Specific Gravity Water Solubility Solubility in other solvents Partition Coefficient Auto-ignition Temperature Decomposition Temperature	<ul> <li>1</li> <li>1.010</li> <li>Completely soluble</li> <li>Not determined</li> <li>Not determined</li> <li>Not determined</li> <li>Not determined</li> <li>Not determined</li> </ul>	(Air=1) (1=Water)	
Kinematic Viscosity Dynamic Viscosity Explosive Properties Oxidizing Properties	Not determined Not determined Not determined Not determined		

## **10. STABILITY AND REACTIVITY**

## Reactivity

Not reactive under normal conditions.

## **Chemical Stability**

Stable under recommended storage conditions.

#### Possibility of Hazardous Reactions

None under normal processing.

## **Conditions to Avoid**

Extreme temperatures.

## **Incompatible Materials**

Strong oxidizers, Strong acids.

#### Hazardous Decomposition Products

Carbon oxides.

## **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Product Information	
Eye Contact	Causes serious eye damage.
Skin Contact	Causes skin irritation.
Inhalation	Avoid breathing vapors or mists.
Ingestion	Do not taste or swallow.

## **Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Alkyl dimethyl benzyl ammonium chloride (C12-16) 68424-85-1	= 426 mg/kg(Rat)	-	-
Tetrasodium EDTA 64-02-8	= 10 g/kg(Rat)	-	-
Ethyl Alcohol 64-17-5	= 7060 mg/kg(Rat)	-	= 124.7 mg/L(Rat)4 h

## Information on physical, chemical and toxicological effects

Symptoms

Please see section 4 of this SDS for symptoms.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

#### Carcinogenicity

Ethanol has been shown to be carcinogenic in long-term studies only when consumed as an alcoholic beverage.

Chemical Name	ACGIH	IARC	NTP	OSHA
Ethyl Alcohol	A3	Group 1	Known	Х
64-17-5				

ACGIH (American Conference of Governmental Industrial Hygienists) A3 - Animal Carcinogen IARC (International Agency for Research on Cancer) Group 1 - Carcinogenic to Humans NTP (National Toxicology Program) Known - Known Carcinogen OSHA (Occupational Safety and Health Administration of the US Department of Labor) X - Present

## Numerical measures of toxicity

Not determined

## 12. ECOLOGICAL INFORMATION

## **Ecotoxicity**

Toxic to aquatic life with long lasting effects.

## **Component Information**

Chemical Name Algae/aquatic plants Fish	Toxicity to microorganisms	Crustacea
---	-------------------------------	-----------

Tetrasodium EDTA 64-02-8	1.01: 72 h Desmodesmus subspicatus mg/L EC50	41: 96 h Lepomis macrochirus mg/L LC50		610: 24 h Daphnia magna mg/L EC50
		static 59.8: 96 h Pimephales		
		promelas mg/L LC50 static		
Ethyl Alcohol		12.0 - 16.0: 96 h	EC50 = 34634 mg/L 30 min	9268 - 14221: 48 h Daphnia
64-17-5		Oncorhynchus mykiss mL/L	EC50 = 35470 mg/L 5 min	magna mg/L LC50 10800: 24
		LC50 static 100: 96 h		h Daphnia magna mg/L
		Pimephales promelas mg/L		EC50 2: 48 h Daphnia
		LC50 static 13400 - 15100:		magna mg/L EC50 Static
		96 h Pimephales promelas		
		mg/L LC50 flow-through		

## Persistence/Degradability

Not determined.

## **Bioaccumulation**

Not determined.

## **Mobility**

Chemical Name	Partition Coefficient
Ethyl Alcohol	-0.32
64-17-5	

## **Other Adverse Effects**

Not determined

# 13. DISPOSAL CONSIDERATIONS

## Waste Treatment Methods

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.

## California Hazardous Waste Status

Ethyl Alcohol Toxic	Chemical Name	California Hazardous Waste Status
64-17-5	Ethyl Alcohol	Toxic
i i i i i i i i i i i i i i i i i i i	64-17-5	Ignitable

	14. TRANSPORT INFORMATION
<u>Note</u>	Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.
DOT	Not regulated
IATA	Not regulated
IMDG Marine Pollutant	This material may meet the definition of a marine pollutant

## **15. REGULATORY INFORMATION**

#### International Inventories

Not determined

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

## US Federal Regulations

## **SARA 313**

Not determined

## **US State Regulations**

#### California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65
Ethyl Alcohol - 64-17-5	Carcinogen
	Developmental

## U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Ethyl Alcohol	Х	Х	Х
64-17-5			

## **16. OTHER INFORMATION**

<u>NFPA</u> HMIS	Health Hazards Not determined Health Hazards 1	Flammability Not determined Flammability 0	<b>Instability</b> Not determined <b>Physical Hazards</b> 0	Special Hazards Not determined Personal Protection Not determined
Issue Date: Revision Date: Revision Note:	18-Apr-2014 22-Apr-2014 New format			

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### **End of Safety Data Sheet**