Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| 1.1. Product identifier | |
|---|---|
| Product form | : Mixture |
| Product name | : PURPLE MAGIC |
| Product code | : P102 |
| 1.2. Relevant identified uses of the | substance or mixture and uses advised against |
| Use of the substance/mixture | : CLEANER DEGREASER |
| Use of the substance/mixture | : Cleansing product Degreasing agent |
| 1.3. Details of the supplier of the second | afety data sheet |
| CleanPak Products LLC. 221 Hobbs Street Suite 108 Tampa, FI 33619 T 813-740-8611 - F 813-740-8218 admin@cleanpakproducts.com - www.clea | npakproducts.com |
| 1.4. Emergency telephone number | |
| Emergency number | : 1-800-535-5053 InfoTrac |
| SECTION 2: Hazards identificati | on |
| 2.1. Classification of the substance | e or mixture |
| | |
| Skin Corr. 1A H314 Full text of H-phrases: see section 16 2.2. Label elements | |
| Skin Corr. 1A H314 Full text of H-phrases: see section 16 2.2. Label elements GHS-US labelling | : |
| Skin Corr. 1A H314 Full text of H-phrases: see section 16 2.2. Label elements GHS-US labelling Hazard pictograms (GHS-US) | : GHS05 : Danger |
| Skin Corr. 1A H314 Full text of H-phrases: see section 16 2.2. Label elements | |
| Skin Corr. 1A H314 Full text of H-phrases: see section 16 2.2. Label elements GHS-US labelling Hazard pictograms (GHS-US) Signal word (GHS-US) | : Danger |

Not applicable

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| according | to Federal Register / Vol. 77, No. 58 / Monday, N | /larch 26, | 2012 / Rules and Regulations | | |
|---|---|------------|---|--------------------|---------------------------------|
| SECTION 3: Composition/information on ingredients | | | | | |
| 3.1. | Substance | | | | |
| Not app | blicable | | | | |
| 3.2. | Mixture | | | | |
| Name |) | | Product identifier | % | GHS-US classification |
| sodiun | n hydroxide, conc=50%, aqueous solution | | (CAS No) 1310-73-2 | 5 - 15 | Skin Corr. 1A, H314 |
| Full tex | t of H-phrases: see section 16 | | | | |
| SECT | ION 4: First aid measures | | | | |
| 4.1. | Description of first aid measures | | | | |
| First-ai | d measures after inhalation | : Remo | ove person to fresh air and keep comforta | able for breathir | ig. |
| First-ai | d measures after skin contact | | ove affected clothing and wash all expose arm water rinse. | ed skin area wit | h mild soap and water, followed |
| First-ai | d measures after eye contact | | diately rinse with water for a prolonged p diate medical advice/attention. | eriod while hold | ling the eyelids wide open. Get |
| First-ai | d measures after ingestion | : Drink | plenty of water. Obtain emergency medi | cal attention. | |
| 4.2. No add | Most important symptoms and effect itional information available | s, both | acute and delayed | | |
| 4.3. Treat s | Indication of any immediate medical ymptomatically. | attentio | n and special treatment needed | | |
| SECT | ION 5: Firefighting measures | | | | |
| 5.1. | Extinguishing media | | | | |
| | | : EXTI | NGUISHING MEDIA FOR SURROUNDII | NG FIRES: | |
| 5.2. | Special hazards arising from the sub | | | | |
| Reactiv | | | ts violently with (strong) oxidizers. React | s violently with (| strong) acids. |
| 5.3. | Advice for firefighters | | | | |
| | ion during firefighting | : Do no | ot attempt to take action without suitable | protective equip | oment. |
| SECT | ION 6: Accidental release meas | uras | | | |
| 6.1. | Personal precautions, protective equ | | and emergency procedures | | |
| 6.1.1. | | ipinent | | | |
| | For non-emergency personnel itional information available | | | | |
| | | | | | |
| 6.1.2. | For emergency responders itional information available | | | | |
| | | | | | |
| 6.2. | Environmental precautions | | | | |
| | itional information available | | | | |
| 6.3. | Methods and material for containmer | | | | |
| | ntainment | - | the leak, cut off the supply. | | |
| | ls for cleaning up | : Liquic | spill: neutralize. | | |
| 6.4. | Reference to other sections | | | | |
| | itional information available | | | | |
| SECT | ION 7: Handling and storage | | | | |
| 7.1. | 7.1. Precautions for safe handling | | | | |
| Additio | nal hazards when processed | : May b | be corrosive to metals. | | |
| 7.2. Conditions for safe storage, including any incompatibilities | | | | | |
| Incompatible products : Oxidizing agent. Strong acids. | | | | | |
| 7.3. | Specific end use(s) | | | | |
| No add | itional information available | | | | |

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| SECTION 8: Exposure controls/personal protection | | |
|--|--|--|
| 8.1. Control parameters | | |
| PURPLE MAGIC | | |
| ACGIH | Not applicable | |
| OSHA | Not applicable | |
| sodium hydroxide, conc=50 | %, aqueous solution (1310-73-2) | |
| ACGIH | Not applicable | |
| OSHA | Not applicable | |
| 8.2. Exposure controls | | |
| Appropriate engineering controls | : Ensure good ventilation of the work station. | |

Personal protective equipment

: Gloves. Safety glasses.



| SECTION 9: Physical and chemical | properties |
|--|---|
| 9.1. Information on basic physical and | chemical properties |
| Physical state | : Liquid |
| Colour | : Purple |
| Odour | : No data available |
| Odour threshold | : No data available |
| рН | : 13 - 14 |
| Relative evaporation rate (butylacetate=1) | : No data available |
| Melting point | : No data available |
| Freezing point | : No data available |
| Boiling point | : No data available |
| Flash point | : No data available |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Flammability (solid, gas) | : No data available |
| Vapour pressure | : No data available |
| Relative vapour density at 20 °C | : No data available |
| Specific gravity | : ≈ 1.23 |
| Solubility | Soluble in water. Water: Solubility in water of component(s) of the mixture : sodium hydroxide, conc=50%, aqueous solution: Complete edetic acid: 0.05 g/100ml |
| Log Pow | : No data available |
| Log Kow | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| Explosive properties | : No data available |
| Oxidising properties | : No data available |
| Explosive limits | : No data available |

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reacts violently with (strong) oxidizers. Reacts violently with (strong) acids.

10.2. Chemical stability

Stable under normal conditions.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| | Possibility of hazardous reactions |
|-------------|------------------------------------|
| | |
| No additior | nal information available |
| 0.4. | Conditions to avoid |
| No addition | nal information available |
| 0.5. I | Incompatible materials |
| Strong acid | ds. Oxidizing agent. |
| 0.6. ŀ | Hazardous decomposition products |
| No additior | nal information available |

11.1. Information on toxicological effects

| Acute toxicity | : | Not classified |
|--|---|--|
| Skin corrosion/irritation | : | Causes severe skin burns and eye damage. pH: 13 - 14 |
| Serious eye damage/irritation | : | Not classified pH: 13 - 14 |
| Respiratory or skin sensitisation | : | Not classified |
| Germ cell mutagenicity | : | Not classified |
| Carcinogenicity | : | Not classified |
| Reproductive toxicity | : | Not classified |
| Specific target organ toxicity (single exposure) | : | Not classified |
| Specific target organ toxicity (repeated exposure) | : | Not classified |
| Aspiration hazard | : | Not classified |
| | | |

SECTION 12: Ecological information 12.1. Toxicity No additional information available 12.2. Persistence and degradability sodium hydroxide, conc=50%, aqueous solution (1310-73-2) Persistence and degradability Biodegradability: not applicable. No (test)data on mobility of the components available.

| 12.3. Bioaccumulative potential sodium hydroxide, conc=50%, aqueous solution (1310-73-2) Bioaccumulative potential Does not contain bioaccumulative component(s). 12.4. Mobility in soil No additional information available 12.5. Other adverse effects Effect on ozone layer : Effect on the global warming : No known ecological damage caused by this product. | | |
|--|---|--|
| Bioaccumulative potential Does not contain bioaccumulative component(s). 12.4. Mobility in soil No additional information available 12.5. Other adverse effects Effect on ozone layer : | 12.3. Bioaccumulative potential | |
| 12.4. Mobility in soil No additional information available 12.5. Other adverse effects Effect on ozone layer : | sodium hydroxide, conc=50%, aqueous solut | ion (1310-73-2) |
| No additional information available 12.5. Other adverse effects Effect on ozone layer : | Bioaccumulative potential | Does not contain bioaccumulative component(s). |
| Other adverse effects Effect on ozone layer : | 12.4. Mobility in soil | |
| Effect on ozone layer : | No additional information available | |
| | 12.5. Other adverse effects | |
| Effect on the global warming : No known ecological damage caused by this product. | Effect on ozone layer | |
| | Effect on the global warming | : No known ecological damage caused by this product. |

| SECTION 13: Disposal consideration | IS |
|--|---|
| 13.1. Waste treatment methods | |
| Waste disposal recommendations | : May be discharged to wastewater treatment installation. |
| SECTION 14: Transport information | |
| In accordance with DOT | |
| Transport document description | : UN1824 Sodium hydroxide solution, 8, III |
| UN-No.(DOT) | : UN1824 |
| Proper Shipping Name (DOT) | : Sodium hydroxide solution |

Safety Data Sheet

| with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 | Department of Transportation (DOT) Hazard Classes | : 8 - Class 8 - Corrosive material 49 CFR 173.136 |
|--|--|--|
| DOT Special Provisions (49 CFR 172.102) : IB3. Authorize ⁻¹⁰ IBC:: Metal (31A, 31B and 31N; Rigd patistics (31H1 and 31H2); Composite (31H2 and 31H2); JAdditonal Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 (1.1 bar at 120 F), or 130 kPa at 52 (1.1 bar at 131 F) are authorized, except for UN2872 (also see Special Provision IP8 in Table 2 for UN2872). N34 - Aluminum construction materials are not authorized for any part of a packaging which is normally in contact with the hazardous material. TA - 2.56 T/32 (0) DOT Packaging Exceptions (49 CFR 173.xxx) : 154 DOT Packaging Buk (49 CFR 173.xxx) : 154 DOT Packaging Buk (49 CFR 173.xxx) : 51 2007 Packaging Buk (49 CFR 173.xxx) : 51 CFR 175.70) : 241 DOT Quantity Limitations Passenger aircraftrial : 51 2017 Vessel Stowage Location : A. The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel. DOT Vessel Stowage Other : S2 - Stow "separated from" acids Additional information available : Mo supplementary information available. Transport by sea : SODUM HYDROXIDE SOLUTION Class (MDG) : 1824 | Hazard labels (DOT) | : 8 - Corrosive |
| DOT Special Provisions (49 CFR 172.102) : IB3. Authorized IBCs: Metal (31A, 31B and 31N; Rigd patistics (31H1 and 31H2); Composite (31H2 and 31H2); Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 (1.1 bar at 122, F), or 130 kPa at 52 (1.1 bar at 131 F) are authorized for any part of a packaging with is vapor pressure less than or equal to 110 kPa at 50 (1.1 bar at 122, F), or 130 kPa at 55 (1.1 bar at 131 F) are authorized for any part of a packaging which is normally in contact with the hazardous material. TA - 2.65 T122 /TD (2000) TA - 2.65 T122 /TD (2000) DOT Packaging Exceptions (49 CFR 173.xxx) : 154 DOD Packaging Buk (49 CFR 173.xxx) : 154 DOT Packaging Buk (49 CFR 173.xxx) : 203 DOT Packaging Buk (49 CFR 173.xxx) : 241 DOT Packaging Buk (49 CFR 173.xxx) : 241 DOT Quantity Limitations Passenger aircraft/rail : 5 L CFR 175.75) : 60 L CFR 175.70 : 7 A The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel. DOT Vessel Stowage Location : A Ne material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel. DOT Vessel Stowage Cher : S 2 - Stow "separated from" acids Additional information available : No supplementary information available. Transport by sea : III - substances presenting low danger | | 1/2 |
| DOT Special Provisions (49 CFR 172.102) : IB3 - Authorized IBCs: Metal (31A, 31B and 31N; Rigd patistics (31H1 and 31H2); Composite (31H2 and 31H2); Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 (1.1 bar at 122, F), or 130 kPa at 55 (1.1 bar at 131F) are authorized (see Special Provision IP8 in Table 2 for UN2672; also see Special Provisin Provision Passenger vascal provision IP8 in | | |
| DOT Special Provisions (49 CFR 172.102) : IB3. Authorized IBCs: Metal (31A, 31B and 31N; Rigd patistics (31H1 and 31H2); Composite (31H2 and 31H2); Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 (1.1 bar at 102 kP) or 130 kPa at 52 (1.1 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IPs in Table 2 for UN2672). N34 - Aluminum construction materials are not authorized for any part of a packaging which is normally in contact with the hazardous material. TA - 2.5 (7.3 ZP) (3.0 (3.0 (3.0 (3.0 (3.0 (3.0 (3.0 (3.0 | | |
| DOT Special Provisions (49 CFR 172.102) : IB3. Authorized IBCs: Metal (31A, 31B and 31N; Rigd patistics (31H1 and 31H2); Composite (31H2 and 31H2); Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 (1.1 bar at 102 kP) or 130 kPa at 52 (1.1 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IPs in Table 2 for UN2672). N34 - Aluminum construction materials are not authorized for any part of a packaging which is normally in contact with the hazardous material. TA - 2.5 (7.3 ZP) (3.0 (3.0 (3.0 (3.0 (3.0 (3.0 (3.0 (3.0 | | |
| DOT Special Provisions (49 CFR 172.102) : IB3. Authorized IBCs: Metal (31A, 31B and 31N; Rigd patistics (31H1 and 31H2); Composite (31H2 and 31H2); Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 (1.1 bar at 102 kP) or 130 kPa at 52 (1.1 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IPs in Table 2 for UN2672). N34 - Aluminum construction materials are not authorized for any part of a packaging which is normally in contact with the hazardous material. TA - 2.5 (7.3 ZP) (3.0 (3.0 (3.0 (3.0 (3.0 (3.0 (3.0 (3.0 | Packing group (DOT) | · III - Minor Danger |
| (31H21 and 31H22, 31HB2, 31HB2, 31HB2, 31HB2, 31B2 (31H22) and 31H2), additional Requirement: Only liquids with a vagor pressure less than or equal to 110 RPa at 50 C (1.1 bar at 122 F), or 130 KPa at 55 C (1.1 bar at 122 F), and the start of the star of the start of the start of the start of the | | - |
| ADR Image: Comparison of the indexing transport and the issue to the index t | | (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). N34 - Aluminum construction materials are not authorized for any part of a packaging which is normally in contact with the hazardous material. T4 - 2.65 178.274(d)(2) Normal 178.275(d)(3) |
| milling. milling. DOT Packaging Exceptions (49 CFR 173.xx) 154 DOT Packaging Non Bulk (49 CFR 173.xx) 203 DOT Packaging Bulk (49 CFR 173.xx) 241 DOT Quantity Limitations Passenger aircraft/rail 5 L (40 CFR 173.727) 60 L OT Yackaging Num Bulk (49 CFR 173.xx) 60 L CFR 175.75) DOT Quantity Limitations Cargo aircraft only (49 ; 60 L OT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel. DOT Vessel Stowage Other : 52 - Stow "separated from" acids Additional Information : No supplementary information available. ADR | | following: Degree of filling = 97 / (1 + a (tr - tf)) Where: tr is the maximum mean bulk |
| DOT Packaging Non Bulk (49 CFR 173.xxx) : 203 DOT Packaging Bulk (49 CFR 173.xxx) : 241 DOT Quantity Limitations Passenger aircraft/rail : 5 L (49 CFR 173.27) : 60 L CFR 175.75) DOT Quantity Limitations Cargo aircraft only (49 : 60 L DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel. DOT Vessel Stowage Other : 52 - Stow "separated from" acids Additional Information . Other information available . Transport by sea . UN-No. (IMDG) : 1824 Proper Shipping Name (IMDG) : SODIUM HYDROXIDE SOLUTION Class (IMDG) : 8 - Corrosive substances Packing group (IMDG) : 1824 Proper Shipping Name (IATA) : 8 SODIUM HYDROXIDE SOLUTION Class (IATA) : 8 - Corrosive substances Packing group (IMDG) : 1824 Proper Shipping Name (IATA) : 8 - Corrosives SoDIUM HYDROXIDE SOLUTION . Class (IATA) : 8 - Corrosives Packing group (IATA) : 1824 Proper Shipping Name (IATA) : 8 - Corrosives | | |
| DDT Packaging Bulk (49 CFR 173.xxx) : 241 DDT Quantity Limitations Passenger aircraft/rail : 5 L (49 CFR 173.27) : 0 L DCT Quantity Limitations Cargo aircraft only (49 : 60 L CFR 175.75) : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel. DDT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel. DDT Vessel Stowage Other : 52 - Stow "separated from" acids Additional information : Other information : No supplementary information available. ADR : No additional information available : Transport by sea : UN-No. (IMDG) : 1824 Proper Shipping Name (IMDG) : SODIUM HYDROXIDE SOLUTION Class (IMDG) : 1824 Proper Shipping Name (IATA) : 1824 Proper Shipping Name (IATA) : 8 - Corrosives Class (IATA) : 8 - Corrosives Packing group (IATA) : 1824 Proper Shipping Name (IATA) : 8 - Corrosives Packing group (IATA) : 8 - Corrosives Packing group (IATA) : | DOT Packaging Exceptions (49 CFR 173.xxx) | : 154 |
| DOT Quantity Limitations Passenger aircraft/rail : 5 L (49 CFR 173.27) : | DOT Packaging Non Bulk (49 CFR 173.xxx) | : 203 |
| (49 CFR 173.27) DOT Quantity Limitations Cargo aircraft only (49 : 60 L CFR 175.75) DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel. DOT Vessel Stowage Other : 52 - Stow "separated from" acids Additional information . Other information : No supplementary information available. ADR . No additional information available . Transport by sea . UN-No. (IMDG) : 1824 Proper Shipping Name (IMDG) : SODIUM HYDROXIDE SOLUTION Class (IMDG) : 8 - Corrosive substances Packing group (IMDG) : 1824 Proper Shipping Name (IATA) : SODIUM HYDROXIDE SOLUTION Class (IATA) : 8 - Corrosive substances Packing group (IATA) : 1824 Proper Shipping Name (IATA) : SODIUM HYDROXIDE SOLUTION Class (IATA) : 8 - Corrosives Packing group (IATA) : 1824 Proper Shipping Name (IATA) : SODIUM HYDROXIDE SOLUTION Class (IATA) : 8 - Corrosives Packing group (IATA) : 111 - Minor Danger <t< td=""><td>DOT Packaging Bulk (49 CFR 173.xxx)</td><td>: 241</td></t<> | DOT Packaging Bulk (49 CFR 173.xxx) | : 241 |
| CFR 175.75) A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel. DOT Vessel Stowage Other 52 - Stow "separated from" acids Additional information . Other information available . ADR . No additional information available . Transport by sea . UN-No. (IMDG) : 1824 . Proper Shipping Name (IMDG) : 28 Corrosive substances . Packing group (IMDG) : 1824 . Proper Shipping Name (IMDG) : 28 Corrosive substances . Packing group (IMDG) : 29 Corrosive substances . Packing group (IMDG) : 20 Corrosive substances . Packing group (IATA) : < | | : 5L |
| passenger vessel. DOT Vessel Stowage Other : 52 - Stow "separated from" acids Additional information Other information : No supplementary information available. ADR ADR No additional information available Transport by sea UN-No. (IMDG) : 1824 Proper Shipping Name (IMDG) : SODIUM HYDROXIDE SOLUTION Class (IMDG) : 8 - Corrosive substances Packing group (IMDG) : III - substances presenting low danger Air transport | | : 60 L |
| Additional information I No supplementary information available. ADR I No additional information available Transport by sea I No SUPPLE IN INFORMATION | DOT Vessel Stowage Location | |
| Other information : No supplementary information available. ADR No additional information available Transport by sea UN-No. (IMDG) : 1824 Proper Shipping Name (IMDG) : SODIUM HYDROXIDE SOLUTION Class (IMDG) : 8 - Corrosive substances Packing group (IMDG) : 111 - substances presenting low danger Air transport UN-No.(IATA) Proper Shipping Name (IATA) : 1824 Proper Shipping Name (IATA) : 1824 Proper Shipping Name (IATA) : 001UM HYDROXIDE SOLUTION Class (IATA) : 8 - Corrosive substances Proper Shipping Name (IATA) : 8 - Corrosives Proper Shipping Name (IATA) : 8 - Corrosives Packing group (IATA) : 111 - Minor Danger SECTION 15: Regulatory information : 111 - Minor Danger No additional information available No additional information available | DOT Vessel Stowage Other | : 52 - Stow "separated from" acids |
| ADR No additional information available Transport by sea UN-No. (IMDG) | Additional information | |
| No additional information available Transport by sea UN-No. (IMDG) : 1824 Proper Shipping Name (IMDG) : SODIUM HYDROXIDE SOLUTION Class (IMDG) : 8 - Corrosive substances Packing group (IMDG) : III - substances presenting low danger Air transport UN-No.(IATA) : 1824 Proper Shipping Name (IATA) : 1824 Proper Shipping Name (IATA) : SODIUM HYDROXIDE SOLUTION Class (IATA) : SODIUM HYDROXIDE SOLUTION Class (IATA) : III - dinor Danger Becking group (IATA) : III - Minor Danger SECTION 15: Regulatory information SECTION 15: Regulatory information | Other information | : No supplementary information available. |
| Transport by sea UN-No. (IMDG) : 1824 Proper Shipping Name (IMDG) : SODIUM HYDROXIDE SOLUTION Class (IMDG) : & Corrosive substances Packing group (IMDG) : III - substances presenting low danger Air transport UN-No.(IATA) UN-No.(IATA) : 1824 Proper Shipping Name (IATA) : SODIUM HYDROXIDE SOLUTION Class (IATA) : III - Minor Danger SECTION 15: Regulatory information III - Minor Danger ISECTION 15: Regulatory information Mo additional information available Vo additional information available | ADR | |
| UN-No. (IMDG) : 1824 Proper Shipping Name (IMDG) : SODIUM HYDROXIDE SOLUTION Class (IMDG) : 8 - Corrosive substances Packing group (IMDG) : III - substances presenting low danger Air transport UN-No. (IATA) : 1824 Proper Shipping Name (IATA) : SODIUM HYDROXIDE SOLUTION Class (IATA) : SODIUM HYDROXIDE SOLUTION Class (IATA) : 8 - Corrosives Packing group (IATA) : III - Minor Danger SECTION 15: Regulatory information SECTION 15: Regulatons No additional information available | No additional information available | |
| Proper Shipping Name (IMDG) : SODIUM HYDROXIDE SOLUTION Class (IMDG) : 8 - Corrosive substances Packing group (IMDG) : III - substances presenting low danger Air transport UN-No.(IATA) UN-No.(IATA) : 1824 Proper Shipping Name (IATA) : SODIUM HYDROXIDE SOLUTION Class (IATA) : SODIUM HYDROXIDE SOLUTION Class (IATA) : SODIUM HYDROXIDE SOLUTION Class (IATA) : III - Minor Danger SECTION 15: Regulatory information : III - Minor Danger 15.1. US Federal regulations Ko additional information available | Transport by sea | |
| Class (IMDG) : 8 - Corrosive substances Packing group (IMDG) : III - substances presenting low danger Air transport UN-No.(IATA) : 1824 Proper Shipping Name (IATA) : SODIUM HYDROXIDE SOLUTION Class (IATA) : 8 - Corrosives Packing group (IATA) : 8 - Corrosives Packing group (IATA) : III - Minor Danger SECTION 15: Regulatory information 15.1. US Federal regulations No additional information available | UN-No. (IMDG) | : 1824 |
| Packing group (IMDG) : III - substances presenting low danger Air transport | Proper Shipping Name (IMDG) | : SODIUM HYDROXIDE SOLUTION |
| Packing group (IMDG) : III - substances presenting low danger Air transport | Class (IMDG) | : 8 - Corrosive substances |
| UN-No.(IATA) : 1824 Proper Shipping Name (IATA) : SODIUM HYDROXIDE SOLUTION Class (IATA) : 8 - Corrosives Packing group (IATA) : III - Minor Danger SECTION 15: Regulatory information 15.1. US Federal regulations No additional information available | Packing group (IMDG) | : III - substances presenting low danger |
| UN-No.(IATA) : 1824 Proper Shipping Name (IATA) : SODIUM HYDROXIDE SOLUTION Class (IATA) : 8 - Corrosives Packing group (IATA) : III - Minor Danger SECTION 15: Regulatory information 15.1. US Federal regulations No additional information available | Air transport | |
| Proper Shipping Name (IATA) : SODIUM HYDROXIDE SOLUTION Class (IATA) : 8 - Corrosives Packing group (IATA) : III - Minor Danger SECTION 15: Regulatory information 15.1. US Federal regulations No additional information available | | · 1824 |
| Class (IATA) : 8 - Corrosives Packing group (IATA) : III - Minor Danger SECTION 15: Regulatory information 15.1. US Federal regulations No additional information available | | |
| Packing group (IATA) : III - Minor Danger SECTION 15: Regulatory information 15.1. US Federal regulations No additional information available | | |
| SECTION 15: Regulatory information 15.1. US Federal regulations No additional information available | | |
| 15.1. US Federal regulations No additional information available | | · |
| No additional information available | | |
| | | |
| 15.2. International regulations | No additional information available | |
| | 15.2. International regulations | |

EU-Regulations

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Not classified

15.2.2. National regulations

No additional information available

15.3. US State regulations

SECTION 16: Other information

| Full text of H-phras | es: |
|----------------------|-----|
|----------------------|-----|

| Skin Corr. 1A | Skin corrosion/irritation, Category 1A |
|---------------|---|
| H314 | Causes severe skin burns and eye damage |

| HMIS III Rating | |
|---------------------|---|
| Health | : 2 Moderate Hazard - Temporary or minor injury may occur |
| Flammability | : 0 Minimal Hazard |
| Physical | : 1 Slight Hazard |
| Personal Protection | : B |

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product