Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 12/31/2014 Version: 1.0

SECTION 1: Identification of the subs	stance/mixture and of the company/undertaking
1.1. Product identifier	
Product form	: Mixture
Product name	: ALKYLINE DRAIN MAINTAINER
Product code	: P118
	ance or mixture and uses advised against : Cleansing product
	Degreasing agent
1.3. Details of the supplier of the safety d	ata sheet
CleanPak Products LLC. 221 Hobbs Street Suite 108 Tampa, Fl 33619 T 813-740-8611 - F 813-740-8218 admin@cleanpakproducts.com - www.cleanpakpr	oducts.com
1.4. Emergency telephone number	
Emergency number	: 1-800-535-5053 InfoTrac
2.1. Classification of the substance or mi	xture
GHS-US classification	
Acute Tox. 4 (Oral) H302 Skin Corr. 1A H314 Aquatic Acute 3 H402 Full text of H-phrases: see section 16	
2.2. Label elements	
GHS-US labelling Hazard pictograms (GHS-US)	: GHS05 GHS07
Signal word (GHS-US)	
-	: Danger
Hazard statements (GHS-US)	 Danger H302 - Harmful if swallowed H314 - Causes severe skin burns and eye damage H402 - Harmful to aquatic life
Hazard statements (GHS-US) Precautionary statements (GHS-US)	: H302 - Harmful if swallowed H314 - Causes severe skin burns and eye damage
	 H302 - Harmful if swallowed H314 - Causes severe skin burns and eye damage H402 - Harmful to aquatic life P260 - Do not breathe mist, spray P264 - Wash hands, forearms and face thoroughly after handling P270 - Do not eat, drink or smoke when using this product P280 - Wear gloves and protective eyewear P301+P312 - If swallowed: Call a doctor if you feel unwell P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P310 - Immediately call a physician P330 - Rinse mouth P363 - Wash contaminated clothing before reuse P405 - Store locked up P501 - Dispose of contents/container in accordance with local/regional/national/international

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.4. Unknown acute toxicity (GHS-US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable 3.2. Mixture

Name	Product identifier	%	GHS-US classification
potassium hydroxide, 45%= <conc<50%, aqueous="" solutions<="" td=""><td>(CAS No) 1310-58-3</td><td>20 - 30</td><td>Acute Tox. 3 (Oral), H301 Skin Corr. 1A, H314 Aquatic Acute 3, H402</td></conc<50%,>	(CAS No) 1310-58-3	20 - 30	Acute Tox. 3 (Oral), H301 Skin Corr. 1A, H314 Aquatic Acute 3, H402

Full text of H-phrases: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: IF exposed or concerned: Get medical advice/attention.
First-aid measures after inhalation	: Remove the victim into fresh air.
First-aid measures after skin contact	: Rinse with water. Soap may be used.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.
First-aid measures after ingestion	: Give milk to drink.
4.2. Most important symptoms and effect	ts, both acute and delayed
Symptoms/injuries	: Causes severe skin burns and eye damage.
Symptoms/injuries after inhalation	: Coughing.
Symptoms/injuries after skin contact	: Red skin. Harmful in contact with skin.
Symptoms/injuries after eye contact	: Causes serious eye irritation.
Symptoms/injuries after ingestion	: Toxic if swallowed.
4.3. Indication of any immediate medical	attention and special treatment needed
No additional information available	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray.
5.2. Special hazards arising from the sul	ostance or mixture
Fire hazard	: Not flammable.
Explosion hazard	: Not applicable.
Reactivity	: Violent to explosive reaction with (some) acids.
5.3. Advice for firefighters	
Firefighting instructions	: No specific fire-fighting instructions required.
SECTION 6: Accidental release meas	sures
6.1. Personal precautions, protective eq	uipment and emergency procedures
6.1.1. For non-emergency personnel	
Protective equipment	: Safety glasses. Gloves.
6.1.2. For emergency responders	
No additional information available	
6.2. Environmental precautions	
No additional information available	
6.3. Methods and material for containme	nt and cleaning up
For containment	: Dam up the liquid spill.
Methods for cleaning up	: Collect spillage. Wash away neutralized product with plentiful water.
6.4. Reference to other sections	
No additional information available	

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECT	ION 7: Handling and storage
7.1.	Precautions for safe handling
No add	litional information available
7.2.	Conditions for safe storage, including any incompatibilities
No add	litional information available
7.3.	Specific end use(s)
No add	litional information available
SECT	ION 8: Exposure controls/personal protection

0.4	O a set se a l	
8.1.	Control	parameters

ALKYLINE DRAIN MAINTAINER		
ACGIH	Not applicable	
OSHA	Not applicable	
potassium hydroxide, 45%= <conc<50%, (1310-58-3)<="" aqueous="" solutions="" th=""></conc<50%,>		
ACGIH	ACGIH Ceiling (mg/m ³)	2 mg/m ³
OSHA	Not applicable	
8.2. Exposure controls	1	

No additional information available

SECTION 9: Physical and chemica	I properties
9.1. Information on basic physical an	d chemical properties
Physical state	: Liquid
Colour	: Mixture contains one or more component(s) which have the following colour(s): Colourless, Colourless to white, White to light brown
Odour	 There may be no odour warning properties, odour is subjective and inadequate to warn of overexposure. Mixture contains one or more component(s) which have the following odour(s): Odourless, No data available on odour, Pleasant odour
Odour threshold	: No data available
pH	: >= 13
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Specific gravity	: 1.0975
Solubility	 Soluble in water. Water: Solubility in water of component(s) of the mixture : potassium hydroxide, 45%=<conc<50%, 100ml<="" 59="" aqueous="" complete="" g="" gluconate:="" li="" sodium="" solutions:="" •=""> </conc<50%,>
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available
9.2. Other information	
No additional information available	
02/12/2015	EN (English) 3/7

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

······································
SECTION 10: Stability and reactivity
0.1. Reactivity
/iolent to explosive reaction with (some) acids.
0.2. Chemical stability
Stable under normal conditions.
0.3. Possibility of hazardous reactions
lot established.
0.4. Conditions to avoid
lo additional information available
0.5. Incompatible materials
lay be corrosive to metals. Strong acids.
0.6. Hazardous decomposition products
lone known.
SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	: Oral: Harmful if swallowed.
ALKYLINE DRAIN MAINTAINER	
ATE US (oral)	910.000 mg/kg bodyweight
potassium hydroxide, 45%= <conc<50%, aqu<="" td=""><td>ueous solutions (1310-58-3)</td></conc<50%,>	ueous solutions (1310-58-3)
LD50 oral rat	273 mg/kg (Rat)
ATE US (oral)	273.000 mg/kg bodyweight
Skin corrosion/irritation	: Causes severe skin burns and eye damage.
Serious eye damage/irritation	pH: >= 13 : Not classified pH: >= 13
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: Coughing.
Symptoms/injuries after skin contact	: Red skin. Harmful in contact with skin.
Symptoms/injuries after eye contact	: Causes serious eye irritation.
Symptoms/injuries after ingestion	: Toxic if swallowed.
SECTION 12: Ecological information	

12.1. I oxicity	
Ecology - general	 No known adverse effects on the functioning of water treatment plants under normal use conditions as recommended.
Ecology - air	Not included in the list of fluorinated greenhouse gases (Regulation (EC) No 842/2006).
potassium hydroxide, 45%= <conc<50%, aque<="" td=""><td>ous solutions (1310-58-3)</td></conc<50%,>	ous solutions (1310-58-3)
LC50 fishes 1	28.6 mg/l (24 h; Pisces; Pure substance)
LC50 other aquatic organisms 1	100 - 1000 mg/l (96 h)
LC50 fish 2	80 mg/l (96 h; Gambusia affinis; Pure substance)
Threshold limit other aquatic organisms 1	100 - 1000,96 h

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.2. Persistence and degradability	
ALKYLINE DRAIN MAINTAINER	
Persistence and degradability	Biodegradable in the soil. Biodegradable in the soil under anaerobic conditions.
potassium hydroxide, 45%= <conc<50%, aq<="" td=""><td>ueous solutions (1310-58-3)</td></conc<50%,>	ueous solutions (1310-58-3)
Persistence and degradability	Biodegradability: not applicable. No (test)data on mobility of the components available.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable
I2.3. Bioaccumulative potential	
potassium hydroxide, 45%= <conc<50%, aq<="" td=""><td>ueous solutions (1310-58-3)</td></conc<50%,>	ueous solutions (1310-58-3)
Bioaccumulative potential	Not bioaccumulative.
12.4. Mobility in soil	
No additional information available	
12.5. Other adverse effects	
Effect on ozone layer	:
Effect on the global warming	: No known ecological damage caused by this product.
SECTION 13: Disposal consideration	ns
I3.1. Waste treatment methods	
Naste disposal recommendations	 Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container in accordance with local/regional/national/international regulations.
Ecology - waste materials	: Avoid release to the environment.
SECTION 14: Transport information	
n accordance with DOT	
Fransport document description	: UN1814 Potassium hydroxide, solution, 8, III
JN-No.(DOT)	: UN1814
Proper Shipping Name (DOT)	: Potassium hydroxide, solution
Department of Transportation (DOT) Hazard Classes	: 8 - Class 8 - Corrosive material 49 CFR 173.136
Hazard labels (DOT)	: 8 - Corrosive
Packing group (DOT)	: III - Minor Danger
DOT Packaging Exceptions (49 CFR 173.xxx)	: 154 Limited Quantities
Additional information	
Other information	: No supplementary information available.
ADR	
Packing group (ADR)	: 111
Class (ADR)	: 8 - Corrosive substances
Danger labels (ADR)	: 8 - Corrosive substances

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Transport by sea	
UN-No. (IMDG)	: 1814
Proper Shipping Name (IMDG)	: POTASSIUM HYDROXIDE SOLUTION
Class (IMDG)	: 8 - Corrosive substances
Packing group (IMDG)	: III - substances presenting low danger
Air transport	
UN-No.(IATA)	: 1814
Proper Shipping Name (IATA)	: POTASSIUM HYDROXIDE SOLUTION
Class (IATA)	: 8 - Corrosives
Packing group (IATA)	: III - Minor Danger

SECTION 15: Regulatory information 15.1. US Federal regulations

No additional information available

15.2. International regulations

CANADA

EU-Regulations

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Not classified

15.2.2. National regulations No additional information available

15.3. US State regulations

SECTION 16: Other information

Full text of H-phrases:


Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 3	Hazardous to the aquatic environment — Acute Hazard, Category 3
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
H301	Toxic if swallowed
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H402	Harmful to aquatic life

NFPA health hazard

NFPA fire hazard

NFPA reactivity

- : 0 Exposure under fire conditions would offer no hazard beyond that of ordinary combustible materials.
- : 0 Materials that will not burn.
- : 0 Normally stable, even under fire exposure conditions, and are not reactive with water.



HMIS III Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	: 0 Minimal Hazard
Physical	: 0 Minimal Hazard
Personal Protection	: B

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product