# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 12/31/2014 Version: 1.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : CONCENTRATED GLASS CLNR - NON AMMONIATED

Product code : P126

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Glass cleaner and hard surface cleaner

Use of the substance/mixture : Cleansing product

1.3. Details of the supplier of the safety data sheet

CleanPak Products LLC. 221 Hobbs Street Suite 108

Tampa, FI 33619

T 813-740-8611 - F 813-740-8218

admin@cleanpakproducts.com - www.cleanpakproducts.com

1.4. Emergency telephone number

Emergency number : 1-800-535-5053

InfoTrac

# **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

# **GHS-US** classification

Flam. Liq. 2 H225

Full text of H-phrases: see section 16

#### 2.2. Label elements

#### **GHS-US** labelling

Hazard pictograms (GHS-US)



GHS02

Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : H225 - Highly flammable liquid and vapour

Precautionary statements (GHS-US) : P210 - Keep away from open flames. - No smoking

P233 - Keep container tightly closed

P240 - Ground/bond container and receiving equipment P241 - Use explosion-proof electrical equipment

P242 - Use only non-sparking tools

P243 - Take precautionary measures against static discharge

P280 - Wear gloves and protective eyewear

P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower

P370+P378 - In case of fire: Use carbon dioxide (CO2) to extinguish

P403+P235 - Store in a well-ventilated place. Keep cool

P501 - Dispose of contents/container in accordance with local/regional/national/international

regulations

# 2.3. Other hazards

No additional information available

#### 2.4. Unknown acute toxicity (GHS-US)

Not applicable

02/12/2015 EN (English) Page 1

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

# SECTION 3: Composition/information on ingredients

#### 3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	GHS-US classification
2-butoxyethanol	(CAS No) 111-76-2	<3	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation:vapour), H331 Skin Irrit. 2, H315 Eye Irrit. 2A, H319

Full text of H-phrases: see section 16

# **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : IF exposed or concerned: Get medical advice/attention.

First-aid measures after inhalation : If you feel unwell, seek medical advice.

First-aid measures after skin contact : Gently wash with plenty of soap and water.

First-aid measures after eye contact : Immediately rinse with water for a prolonged period while holding the eyelids wide open.

First-aid measures after ingestion : Drink plenty of water.

#### 4.2. Most important symptoms and effects, both acute and delayed

No additional information available

# 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide.

# 5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable.

Reactivity : Heating may cause a fire.

5.3. Advice for firefighters

Firefighting instructions : No specific fire-fighting instructions required.

# **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources.

6.1.1. For non-emergency personnel

Protective equipment : Gloves. Safety glasses.

6.1.2. For emergency responders

Protective equipment : Protective gloves. Safety glasses.

Emergency procedures : Ventilate area.

# 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into

container for disposal.

#### 6.4. Reference to other sections

No additional information available

#### SECTION 7: Handling and storage

# 7.1. Precautions for safe handling

Precautions for safe handling : Keep away from sources of ignition - No smoking.

02/12/2015 EN (English) 2/7

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Handling temperature : < 110 °F

# 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a closed container.

Maximum storage period : < 2 year

Storage area : Keep only in the original container.

#### 7.3. Specific end use(s)

No additional information available

# **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

CONCENTRATED GLASS CLNR - NON AMMONIATED		
ACGIH	Not applicable	
OSHA	Not applicable	
2-butoxyethanol (111-76-2)		
ACGIH	ACGIH TWA (ppm)	20 ppm
ACGIH	ACGIH STEL (ppm)	20 ppm
OSHA	Not applicable	

# 8.2. Exposure controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Personal protective equipment : Gloves. Safety glasses.





# **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : Blue

Odour : Alcohol odour Odour threshold : No data available

pH : ≈ 10

: > 8 (7.5 - 8.5) % pH solution Relative evaporation rate (butylacetate=1) No data available Melting point : No data available Freezing point : No data available Boiling point : No data available : No data available Flash point Auto-ignition temperature No data available Decomposition temperature : No data available Flammability (solid, gas) : No data available Vapour pressure : No data available Relative vapour density at 20 °C : No data available

Specific gravity : ≈ 1.05

Solubility : Soluble in water.

Water: ≈ 100

Log Pow : No data available
Log Kow : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidising properties : No data available

02/12/2015 EN (English) 3/7

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Explosive limits : No data available

#### 9.2. Other information

No additional information available

# SECTION 10: Stability and reactivity

# 10.1. Reactivity

Heating may cause a fire.

# 10.2. Chemical stability

Heating may cause a fire.

#### 10.3. Possibility of hazardous reactions

No additional information available

#### 10.4. Conditions to avoid

Open flame.

#### 10.5. Incompatible materials

Strong acids.

# 10.6. Hazardous decomposition products

None known.

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

Acute toxicity : Not classified

2-butoxyethanol (111-76-2)	
LD50 oral rat	530 mg/kg (Rat; Equivalent or similar to OECD 401; Literature study; 1746 mg/kg bodyweight; Rat; Experimental value)
LD50 dermal rat	> 2000 mg/kg bodyweight (Rat; Experimental value; OECD 402: Acute Dermal Toxicity)
LD50 dermal rabbit	435 mg/kg bodyweight (Rabbit; Experimental value; OECD 402: Acute Dermal Toxicity; 435 mg/kg bodyweight; Rabbit; Weight of evidence; Equivalent or similar to OECD 402)
LC50 inhalation rat (mg/l)	2.17 mg/l/4h (Rat; Experimental value; 2.35 mg/l/4h; Rat; Experimental value)
LC50 inhalation rat (ppm)	450-486,Rat; Weight of evidence
ATE US (oral)	530.000 mg/kg bodyweight
ATE US (dermal)	435.000 mg/kg bodyweight
ATE US (vapours)	2.170 mg/l/4h
ATE US (dust,mist)	2.170 mg/l/4h

Skin corrosion/irritation : Not classified

pH: ≈ 10

Serious eye damage/irritation : Not classified

pH: ≈ 10

Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified

# 2-butoxyethanol (111-76-2)

IARC group 3 - Not classifiable

Reproductive toxicity : Not classified
Specific target organ toxicity (single exposure) : Not classified
Specific target organ toxicity (repeated : Not classified

exposure)

: Not classified

# SECTION 12: Ecological information

#### 12.1. Toxicity

Aspiration hazard

2-butoxyethanol (111-76-2)	
LC50 fishes 1	116 ppm (96 h; Cyprinodon variegatus; Nominal concentration)

02/12/2015 EN (English) 4/7

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2-butoxyethanol (111-76-2)	
EC50 Daphnia 1	1700 mg/l (48 h; Daphnia sp.; Nominal concentration)
LC50 fish 2	1341 ppm (96 h; Lepomis macrochirus)
EC50 Daphnia 2	1720 mg/l (24 h; Daphnia magna)
TLM fish 1	100 - 1000,96 h; Pisces
TLM other aquatic organisms 1	100 - 1000,96 h
Threshold limit algae 1	900 mg/l (168 h; Scenedesmus quadricauda)
Threshold limit algae 2	35 mg/l (192 h; Microcystis aeruginosa)

# 12.2. Persistence and degradability

2-butoxyethanol (111-76-2)		
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Photodegradation in the air.	
Biochemical oxygen demand (BOD)	0.71 g O₂/g substance	
Chemical oxygen demand (COD)	2.20 g O₂/g substance	
ThOD	2.305 g O₂/g substance	
BOD (% of ThOD)	0.31 % ThOD	

# 12.3. Bioaccumulative potential

2-butoxyethanol (111-76-2)	
Log Pow	0.81 (Experimental value; BASF test; 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).

# 12.4. Mobility in soil

2-butoxyethanol (111-76-2)	
Surface tension	0.027 N/m (25 °C)

#### 12.5. Other adverse effects

Effect on ozone layer

Effect on the global warming : No known ecological damage caused by this product.

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Ecology - waste materials : Avoid release to the environment.

# **SECTION 14: Transport information**

In accordance with DOT

Transport document description : UN1219 Isopropyl alcohol, 3, II

UN-No.(DOT) : UN1219
Proper Shipping Name (DOT) : Isopropyl alcohol

Department of Transportation (DOT) Hazard

Classes

: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120

Hazard labels (DOT) : 3 - Flammable liquid



Packing group (DOT) : II - Medium Danger

DOT Special Provisions (49 CFR 172.102) : IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite

(31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized.

T4 - 2.65 178.274(d)(2) Normal..... 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / (1 + a (tr - tf)) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling.

DOT Packaging Exceptions (49 CFR 173.xxx) : 4b;150 DOT Packaging Non Bulk (49 CFR 173.xxx) : 202

02/12/2015 EN (English) 5/7

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Packaging Bulk (49 CFR 173.xxx) : 242 DOT Quantity Limitations Passenger aircraft/rail : 5 L

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 60 L

CFR 175.75)

DOT Vessel Stowage Location : B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this

section is exceeded.

**Additional information** 

Other information : No supplementary information available.

**ADR** 

No additional information available

Transport by sea

UN-No. (IMDG) : 1219

Proper Shipping Name (IMDG) : ISOPROPANOL (ISOPROPYL ALCOHOL)

Class (IMDG) : 3 - Flammable liquids

Packing group (IMDG) : II - substances presenting medium danger

Air transport

UN-No.(IATA) : 1219

Proper Shipping Name (IATA) : ISOPROPANOL
Class (IATA) : 3 - Flammable Liquids
Packing group (IATA) : II - Medium Danger

# **SECTION 15: Regulatory information**

# 15.1. US Federal regulations

#### 2-butoxyethanol (111-76-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

# 15.2. International regulations

**CANADA** 

#### **EU-Regulations**

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Not classified

15.2.2. National regulations

No additional information available

# 15.3. US State regulations

# 2-butoxyethanol (111-76-2)

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) List

#### **SECTION 16: Other information**

02/12/2015 EN (English) 6/7

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### Full text of H-phrases:

Acute toxicity (dermal), Category 3
Acute toxicity (inhalation:vapour) Category 3
Acute toxicity (oral), Category 4
Serious eye damage/eye irritation, Category 2A
Flammable liquids, Category 2
Flammable liquids, Category 4
Skin corrosion/irritation, Category 2
Highly flammable liquid and vapour
Combustible liquid
Harmful if swallowed
Toxic in contact with skin
Causes skin irritation
Causes serious eye irritation
Toxic if inhaled


NFPA health hazard : 0 - Exposure under fire conditions would offer no hazard

beyond that of ordinary combustible materials.

NFPA fire hazard : 0 - Materials that will not burn.

NFPA reactivity : 0 - Normally stable, even under fire exposure conditions,

and are not reactive with water.



HMIS III Rating

Health : 1 Slight Hazard - Irritation or minor reversible injury possible

Flammability : 2 Moderate Hazard Physical : 1 Slight Hazard

Personal Protection : B

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

02/12/2015 EN (English) 7/7