Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 12/31/2014 Version: 1.0

SECTION 1: Identification of the su	ubstance/mixture and of the company/undertaking
1.1. Product identifier	
Product form	: Mixture
Product name	: CONCENTRATED GLASS CLNR - AMMONIATED
Product code	: P132
	bstance or mixture and uses advised against
Use of the substance/mixture	: Glass cleaner and hard surface cleaner
Use of the substance/mixture	: Cleansing product
1.3. Details of the supplier of the safet	ly data sheet
CleanPak Products LLC. 221 Hobbs Street Suite 108 Tampa, Fl 33619 T 813-740-8611 - F 813-740-8218 admin@cleanpakproducts.com - www.cleanpa	akproducts.com
1.4. Emergency telephone number	
Emergency number	: 1-800-535-5053 InfoTrac
SECTION 2: Hazards identification	
2.1. Classification of the substance or	mixture
GHS-US classification	
Flam. Liq. 2 H225	
Full text of H-phrases: see section 16	
2.2. Label elements	
GHS-US labelling	
Hazard pictograms (GHS-US)	: GHS02
Signal word (GHS-US)	: Danger
Hazard statements (GHS-US)	: H225 - Highly flammable liquid and vapour
Precautionary statements (GHS-US)	 P210 - Keep away from open flames No smoking P233 - Keep container tightly closed P240 - Ground/bond container and receiving equipment P241 - Use explosion-proof electrical equipment P242 - Use only non-sparking tools P243 - Take precautionary measures against static discharge P280 - Wear gloves and protective eyewear P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower P370+P378 - In case of fire: Use carbon dioxide (CO2) to extinguish P403+P235 - Store in a well-ventilated place. Keep cool P501 - Dispose of contents/container in accordance with local/regional/national/international regulations
2.3. Other hazards	
No additional information available	
2.4. Unknown acute toxicity (GHS-US)	
Not applicable	

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

02/12/2015

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	GHS-US classification
2-butoxyethanol	(CAS No) 111-76-2	< 3	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation:vapour), H331 Skin Irrit. 2, H315 Eye Irrit. 2A, H319

SECTION 4: First aid measures	
4.1. Description of first aid measures	
 4.1. Description of first aid measures First-aid measures general First-aid measures after inhalation First-aid measures after skin contact First-aid measures after eye contact First-aid measures after ingestion 4.2. Most important symptoms and eff No additional information available 4.3. Indication of any immediate medi No additional information available 	 : IF exposed or concerned: Get medical advice/attention. : If you feel unwell, seek medical advice. : Gently wash with plenty of soap and water. : Immediately rinse with water for a prolonged period while holding the eyelids wide open. : Drink plenty of water. fects, both acute and delayed cal attention and special treatment needed
SECTION 5: Firefighting measures	
5.1. Extinguishing media Suitable extinguishing media	: Carbon dioxide.
5.2. Special hazards arising from the	
Fire hazard Reactivity	: Flammable. : Heating may cause a fire.
5.3. Advice for firefighters	
Firefighting instructions	: No specific fire-fighting instructions required.
SECTION 6: Accidental release me	easures
6.1. Personal precautions, protective	equipment and emergency procedures
General measures	: Remove ignition sources.
6.1.1. For non-emergency personnel Protective equipment	: Gloves. Safety glasses.
6.1.2. For emergency responders	
Protective equipment	: Protective gloves. Safety glasses.
Protective equipment Emergency procedures	Protective gloves. Safety glasses.Ventilate area.
Protective equipment Emergency procedures 6.2. Environmental precautions	
Protective equipment Emergency procedures 6.2. Environmental precautions Avoid release to the environment.	: Ventilate area.
Protective equipment Emergency procedures 6.2. Environmental precautions	: Ventilate area.
Protective equipment Emergency procedures 6.2. Environmental precautions Avoid release to the environment. 6.3. Methods and material for contain	 Ventilate area. ment and cleaning up Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into
Protective equipment Emergency procedures 6.2. Environmental precautions Avoid release to the environment. 6.3. Methods and material for contain Methods for cleaning up	 Ventilate area. ment and cleaning up Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into
Protective equipment Emergency procedures 6.2. Environmental precautions Avoid release to the environment. 6.3. Methods and material for contain Methods for cleaning up 6.4. Reference to other sections	 Ventilate area. ment and cleaning up Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal.
Protective equipment Emergency procedures 6.2. Environmental precautions Avoid release to the environment. 6.3. Methods and material for contain Methods for cleaning up 6.4. Reference to other sections No additional information available	 Ventilate area. ment and cleaning up Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal.
Protective equipment Emergency procedures 6.2. Environmental precautions Avoid release to the environment. 6.3. Methods and material for contain Methods for cleaning up 6.4. Reference to other sections No additional information available SECTION 7: Handling and storage 7.1. Precautions for safe handling Precautions for safe handling	 Ventilate area. ment and cleaning up Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal. Keep away from sources of ignition - No smoking.
Protective equipment Emergency procedures 6.2. Environmental precautions Avoid release to the environment. 6.3. Methods and material for contain Methods for cleaning up 6.4. Reference to other sections No additional information available SECTION 7: Handling and storage 7.1. Precautions for safe handling	 : Ventilate area. ment and cleaning up : Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Maximum storage period

: < 2 year

Storage area

: Keep only in the original container.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection		
8.1. Control parameters		
CONCENTRATED GLASS CLNR - AMMONIATED		
ACGIH	Not applicable	
OSHA	Not applicable	
2-butoxyethanol (111-76-2)		
ACGIH	ACGIH TWA (ppm)	20 ppm
ACGIH	ACGIH STEL (ppm)	20 ppm
OSHA Not applicable		
82 Exposure controls		

8.2. Exposure controls

Appropriate engineering controls

: Ensure good ventilation of the work station.

Personal protective equipment

: Gloves. Safety glasses.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties Physical state : Liquid Colour : Blue Odour : Ammonia odour Odour threshold : No data available pН : ≈ 10 : > 8 (7.5 - 8.5) % pH solution Relative evaporation rate (butylacetate=1) : No data available Melting point : No data available Freezing point : No data available Boiling point : No data available Flash point No data available : No data available Auto-ignition temperature Decomposition temperature : No data available Flammability (solid, gas) : No data available : No data available Vapour pressure Relative vapour density at 20 °C : No data available Specific gravity : ≈ 1.05 Soluble in water. Solubility Water: ≈ 100 Log Pow : No data available Log Kow : No data available Viscosity, kinematic : No data available No data available Viscosity, dynamic Explosive properties : No data available Oxidising properties : No data available : No data available Explosive limits

9.2. Other information

No additional information available

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 10: Stability and reactivity	
10.1. Reactivity	
Heating may cause a fire.	
10.2. Chemical stability	
Heating may cause a fire.	
10.3. Possibility of hazardous reactions	
No additional information available	
10.4. Conditions to avoid	
Open flame.	
10.5. Incompatible materials	
Strong acids.	
•	
10.6. Hazardous decomposition products	
None known.	
SECTION 11: Toxicological informatio	n
11.1. Information on toxicological effects	
Acute toxicity	Not classified
,	
2-butoxyethanol (111-76-2)	
LD50 oral rat	530 mg/kg (Rat; Equivalent or similar to OECD 401; Literature study; 1746 mg/kg bodyweight; Rat; Experimental value)
LD50 dermal rat	> 2000 mg/kg bodyweight (Rat; Experimental value; OECD 402: Acute Dermal Toxicity)
LD50 dermal rabbit	435 mg/kg bodyweight (Rabbit; Experimental value; OECD 402: Acute Dermal Toxicity; 435 mg/kg bodyweight; Rabbit; Weight of evidence; Equivalent or similar to OECD 402)
LC50 inhalation rat (mg/l)	2.17 mg/l/4h (Rat; Experimental value; 2.35 mg/l/4h; Rat; Experimental value)
LC50 inhalation rat (ppm)	450-486,Rat; Weight of evidence
ATE US (oral)	530.000 mg/kg bodyweight
ATE US (dermal)	435.000 mg/kg bodyweight
ATE US (vapours)	2.170 mg/l/4h
ATE US (dust,mist)	2.170 mg/l/4h
Skin corrosion/irritation	: Not classified
	pH: ≈ 10
Serious eye damage/irritation	: Not classified
	pH: ≈ 10
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
2-butoxyethanol (111-76-2)	
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	Not classified
Aspiration hazard	Not classified
SECTION 12: Ecological information	

12.1. Toxicity

2-butoxyethanol (111-76-2)		
LC50 fishes 1	116 ppm (96 h; Cyprinodon variegatus; Nominal concentration)	
EC50 Daphnia 1	1700 mg/l (48 h; Daphnia sp.; Nominal concentration)	
LC50 fish 2	1341 ppm (96 h; Lepomis macrochirus)	
EC50 Daphnia 2	1720 mg/l (24 h; Daphnia magna)	
TLM fish 1	100 - 1000,96 h; Pisces	
02/12/2015	EN (English)	4/7

Safety Data Sheet according to Federal Register / Vol. 77. No. 58 / Monday, March 26, 2012 / Rules and Regulations ac

ccording to Federal Register / Vol. 77, No. 58 / Monday,	March 26, 2012 / Rules and Regulations
2-butoxyethanol (111-76-2)	
TLM other aquatic organisms 1	100 - 1000,96 h
Threshold limit algae 1	900 mg/l (168 h; Scenedesmus quadricauda)
Threshold limit algae 2	35 mg/l (192 h; Microcystis aeruginosa)
2.2. Persistence and degradability	
2-butoxyethanol (111-76-2)	
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Photodegradation in the air.
Biochemical oxygen demand (BOD)	0.71 g O₂/g substance
Chemical oxygen demand (COD)	2.20 g O₂/g substance
ThOD	2.305 g O ₂ /g substance
BOD (% of ThOD)	0.31 % ThOD
2.3. Bioaccumulative potential	
2-butoxyethanol (111-76-2)	
Log Pow	0.81 (Experimental value; BASF test; 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
I2.4. Mobility in soil	
2-butoxyethanol (111-76-2) Surface tension	0.027 N/m (25 °C)
	0.027 Will (25 C)
2.5. Other adverse effects	
ffect on ozone layer	:
ffect on the global warming	: No known ecological damage caused by this product.
SECTION 13: Disposal consideration	S
3.1. Waste treatment methods	
Ecology - waste materials	: Avoid release to the environment.
SECTION 14: Transport information	
n accordance with DOT	. UN1210 Jaanzanid alaabal 2. U
ransport document description	: UN1219 Isopropyl alcohol, 3, II
JN-No.(DOT)	: UN1219
Proper Shipping Name (DOT)	: Isopropyl alcohol
Department of Transportation (DOT) Hazard	: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
Hazard labels (DOT)	: 3 - Flammable liquid
Packing group (DOT)	: II - Medium Danger
DOT Special Provisions (49 CFR 172.102)	: IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized. T4 - 2.65 178.274(d)(2) Normal
	following: Degree of filling = $97 / (1 + a (tr - tf))$ Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling.
OOT Packaging Exceptions (49 CFR 173 xxx)	temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling.
	temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling.4b;150
DOT Packaging Exceptions (49 CFR 173.xxx) DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx)	temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling.
OOT Packaging Non Bulk (49 CFR 173.xxx) OOT Packaging Bulk (49 CFR 173.xxx)	 temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling. 4b;150 202 242
OT Packaging Non Bulk (49 CFR 173.xxx)	 temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling. 4b;150 202 242

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Quantity Limitations Cargo aircraft on CFR 175.75)	lly (49 : 60 L
DOT Vessel Stowage Location	: B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.
Additional information	
Other information	: No supplementary information available.
ADR	
No additional information available	
Transport by sea	
UN-No. (IMDG)	: 1219
Proper Shipping Name (IMDG)	: ISOPROPANOL (ISOPROPYL ALCOHOL)
Class (IMDG)	: 3 - Flammable liquids
Packing group (IMDG)	: II - substances presenting medium danger
Air transport	
UN-No.(IATA)	: 1219
Proper Shipping Name (IATA)	: ISOPROPANOL
Class (IATA)	: 3 - Flammable Liquids
Packing group (IATA)	: II - Medium Danger
SECTION 15: Regulatory inform	ation
15.1. US Federal regulations	
2-butoxyethanol (111-76-2)	
Listed on the United States TSCA (Toxic	Substances Control Act) inventory
15.2. International regulations	
CANADA	

EU-Regulations

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD] Not classified 15.2.2. National regulations No additional information available

15.3. US State regulations

2-butoxyethanol (111-76-2)

U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

Safety Data Sheet


according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases:	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation:vapour)	Acute toxicity (inhalation:vapour) Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Irrit. 2A	Serious eye damage/eye irritation, Category 2A
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Liq. 4	Flammable liquids, Category 4
Skin Irrit. 2	Skin corrosion/irritation, Category 2
H225	Highly flammable liquid and vapour
H227	Combustible liquid
H302	Harmful if swallowed
H311	Toxic in contact with skin
H315	Causes skin irritation
H319	Causes serious eye irritation
H331	Toxic if inhaled

NFPA health hazard

: 0 - Exposure under fire conditions would offer no hazard beyond that of ordinary combustible materials.

NFPA fire hazard NFPA reactivity 0 - Materials that will not burn.
 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



HMIS III Rating	
Health	: 1 Slight Hazard - Irritation or minor reversible injury possible
Flammability	: 2 Moderate Hazard
Physical	: 1 Slight Hazard
Personal Protection	: B

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product