Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : PREMIUM 50:1 DRY CARPET SHAMPOO

Product code : P154

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Carpet and Upholstery Shampoo

Use of the substance/mixture : Cleansing product Degreasing agent

1.3. Details of the supplier of the safety data sheet

CleanPak Products LLC. 221 Hobbs Street Suite 108

Tampa, Fl 33619

T 813-740-8611 - F 813-740-8218

admin@cleanpakproducts.com - w ww.cleanpakproducts.com

1.4. Emergency telephone number

Emergency number : 1-800-535-5053

InfoTrac

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US classification

Flam. Liq. 2 H225 Aquatic Acute 2 H401

Full text of H-phrases: see section 16

2.2. Label elements

GHS-US labelling

Hazard pictograms (GHS-US)



GHS02

Signal w ord (GHS-US) : Danger

Hazard statements (GHS-US) : H225 - Highly flammable liquid and vapour

H401 - Toxic to aquatic life

Precautionary statements (GHS-US) : P210 - Keep away from open flames. - No smoking

P233 - Keep container tightly closed
P273 - Avoid release to the environment
P280 - Wear gloves and protective eyew ear

P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower

P370+P378 - In case of fire: Use dry extinguishing pow der, foamto extinguish

P403+P235 - Store in a w ell-ventilated place. Keep cool

 $P501 - Dispose \ of \ contents/container \ in \ accordance \ with \ local/regional/national/international$

regulations

2.3. Other hazards

Other hazards not contributing to the : None under normal conditions

classification

2.4. Unknown acute toxicity (GHS-US)

Not applicable

02/12/2015 EN (English) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	GHS-US classification
sodium laury I sulf ate	(CAS No) 151-21-3	30 - 40	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Aquatic Acute 2, H401

Full text of H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : If you feel unw ell, seek medical advice.

First-aid measures after inhalation : Allow victim to breathe fresh air.

First-aid measures after skin contact : Rinse with water.

First-aid measures after eye contact : Immediately rinse with water for a prolonged period while holding the eyelids wide open.

First-aid measures after ingestion : Drink plenty of water.

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Dry pow der. Foam.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

No additional information available

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment : Gloves. Safety glasses.

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

No additional information available

6.3. Methods and material for containment and cleaning up

No additional information available

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

No additional information available

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container closed when not in use.

Maximum storage period : > 1 year

7.3. Specific end use(s)

No additional information available

02/12/2015 EN (English) 2/6

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

FIBRE CLEAN 50:1	
ACGIH	Not applicable
OSHA	Not applicable
sodium lauryl sulfate (151-21-3)	
ACGIH	Not applicable
OSHA	

8.2. Exposure controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Personal protective equipment : Gloves. Safety glasses.





SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : Colourless
Odour : mild;Banana
Odour threshold : No data available

pH : 7-8

Relative evaporation rate (butylacetate=1) No data available Melting point No data available Freezing point No data available Boiling point No data available No data available Flash point No data available Auto-ignition temperature Decomposition temperature No data available Flammability (solid, gas) No data available Vapour pressure No data available Relative vapour density at 20 °C No data available

Specific gravity : 0.97

Solubility : Water: Solubility in water of component(s) of the mixture:

• sodium lauryl sulfate: 10 g/100ml • 2-propanol: Complete

Log Pow : No data available
Log Kow : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidising properties : No data available
Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Combustible liquid.

02/12/2015 EN (English) 3/6

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Possibility of hazardous reactions 10.3.

Heating may cause a fire.

10.4. Conditions to avoid

No additional information available

Incompatible materials

No additional information available

Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

Information on toxicological effects

: Not classified Acute toxicity

sodium lauryl sulfate (151-21-3)	
LD50 oral rat	1288 mg/kg (Rat; OECD 401: Acute Oral Toxicity; Literature study; 977 mg/kg bodyw eight; Rat; OECD 401: Acute Oral Toxicity; Experimental value; 1427 mg/kg bodyw eight; Rat; Experimental value)
LD50 dermal rat	< 2000 mg/kg (Rat; Literature study)
LD50 dermal rabbit	> 580 mg/kg (Rabbit; Read-across; Equivalent or similar to OECD 402; >500 mg/kg bodyw eight; Rabbit)
ATE US (oral)	1288.000 mg/kg bodyweight
ATE US (dermal)	1100.000 mg/kg bodyweight

Skin corrosion/irritation : Not classified

pH: 7 - 8

Serious eye damage/irritation : Not classified

pH: 7 - 8

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified Specific target organ toxicity (single exposure) Not classified Specific target organ toxicity (repeated : Not classified

exposure)

Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. **Toxicity**

sodium lauryl sulfate (151-21-3)	
LC50 fishes 1	4.62 mg/l (96 h; Salmo gairdneri (Oncorhynchus mykiss); Nominal concentration)
EC50 Daphnia 1	6.3 - 7.8 mg/l (48 h; Daphnia magna; Static system)
EC50 other aquatic organisms 1	18 mg/l (168 h; Lemna sp.)
LC50 fish 2	7.97 mg/l (96 h; Brachydanio rerio)
EC50 Daphnia 2	12.6 mg/l (48 h; Daphnia pulex)
Threshold limit other aquatic organisms 1	40 mg/l (72 h; Protozoa)
Threshold limit algae 1	14.8 mg/l (72 h; Chlorophyta)
Threshold limit algae 2	0.02 mg/l (192 h; Scenedesmus quadricauda; Grow th rate)

12.2. Persistence and degradability

sodium lauryl sulfate (151-21-3)	
Persistence and degradability	Readily biodegradable in water.

12.3. **Bioaccum ulative potential**

sodium lauryl sulfate (151-21-3)	
BCF fish 1	3.9 - 5.3 (72 h; Cyprinus carpio)
BCF fish 2	7.15 (Pisces; Chronic)

02/12/2015 EN (English) 4/6

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

sodium lauryl sulfate (151-21-3)	
Log Pow	1.6
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Effect on ozone layer

Effect on the global warming : No known ecological damage caused by this product.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

No additional information available

SECTION 14: Transport information

In accordance with DOT

Transport document description : UN1219 Isopropanol, 3, II

UN-No.(DOT) : UN1219
Proper Shipping Name (DOT) : Isopropanol

Department of Transportation (DOT) Hazard

Classes

: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120

Hazard labels (DOT) : 3 - Flammable liquid



Packing group (DOT) : II - Medium Danger

DOT Special Provisions (49 CFR 172.102) : IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite

(31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized.

T4 - 2.65 178.274(d)(2) Normal...... 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the

following: Degree of filling = 97 / (1 + a (tr - tf)) Where: tr is the maximum mean bulk

temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling.

DOT Packaging Exceptions (49 CFR 173.xxx) : 4b;150
DOT Packaging Non Bulk (49 CFR 173.xxx) : 202
DOT Packaging Bulk (49 CFR 173.xxx) : 242
DOT Quantity Limitations Passenger aircraft/rail : 5 L

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 60 L

CFR 175.75)

DOT Vessel Stow age Location : B - (i) The material m

: B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in w hich the number of passengers specified in paragraph (k)(2)(i) of this

section is exceeded.

Additional information

Other information : No supplementary information available.

ADR

No additional information available

Transport by sea

UN-No. (IMDG) : 1219

Proper Shipping Name (IMDG) : ISOPROPANOL (ISOPROPYL ALCOHOL)

Class (IMDG) : 3 - Flammable liquids

02/12/2015 EN (English) 5/6

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Packing group (IMDG) : II - substances presenting medium danger

Air transport

UN-No.(IATA) : 1219

Proper Shipping Name (IATA) : ISOPROPANOL

Class (IATA) : 3 - Flammable Liquids

Packing group (IATA) : II - Medium Danger

SECTION 15: Regulatory information

15.1. US Federal regulations

No additional information available

15.2. International regulations

CANADA

EU-Regulations

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Not classified

15.2.2. National regulations

No additional information available

15.3. US State regulations

SECTION 16: Other information

Full text of H-phrases:

Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 2	Hazardous to the aquatic environment — Acute Hazard, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
H225	Highly flammable liquid and vapour
H302	Harmful if sw allowed
H312	Harmful in contact with skin
H401	Toxic to aquatic life

HMIS III Rating

Health : 1 Slight Hazard - Irritation or minor reversible injury possible

Flammability : 2 Moderate Hazard Physical : 1 Slight Hazard

Personal Protection : B

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

02/12/2015 EN (English) 6/6