## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 12/31/2014 Version: 1.0

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **Product identifier**

Product form : Mixture

Product name : PREMIUM ALKALINE STONE CLEANER

Product code

#### Relevant identified uses of the substance or mixture and uses advised against 1.2.

Use of the substance/mixture : Cleansing product

Degreasing agent

#### Details of the supplier of the safety data sheet

CleanPak Products LLC. 5408 N 59th St. Tampa, FL 33610

T 813-740-8611 - F 813-740-8218

admin@cleanpakproducts.com - www.cleanpakproducts.com

#### **Emergency telephone number**

**Emergency number** 1-800-535-5053 InfoTrac

#### **SECTION 2: Hazards identification**

#### Classification of the substance or mixture

#### **GHS-US classification**

Acute Tox. 4 (Oral) H302 Skin Corr. 1A H314 H402 Aquatic Acute 3

Full text of H-phrases: see section 16

#### **Label elements** 2.2.

## **GHS-US** labelling

Hazard pictograms (GHS-US)





GHS05

GHS07

Signal word (GHS-US) : Danger

Hazard statements (GHS-US) H302 - Harmful if swallowed

H314 - Causes severe skin burns and eye damage

H402 - Harmful to aquatic life

Precautionary statements (GHS-US) : P270 - Do not eat, drink or smoke when using this product

P273 - Avoid release to the environment P280 - Wear gloves and protective eyewear

P301+P312 - If swallowed: Call physician if you feel unwell

P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting

P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a physician

P330 - Rinse mouth

P363 - Wash contaminated clothing before reuse

P405 - Store locked up

P501 - Dispose of contents/container in accordance with local/regional/national/international

regulations

### Other hazards

No additional information available

02/12/2015 EN (English) Page 1

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 2.4. Unknown acute toxicity (GHS-US)

Not applicable

### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substance

Not applicable

#### 3.2. Mixture

Name	Product identifier	%	GHS-US classification
potassium hydroxide, 45%= <conc<50%, aqueous="" solutions<="" td=""><td>(CAS No) 1310-58-3</td><td>20 - 30</td><td>Acute Tox. 3 (Oral), H301 Skin Corr. 1A, H314 Aquatic Acute 3, H402</td></conc<50%,>	(CAS No) 1310-58-3	20 - 30	Acute Tox. 3 (Oral), H301 Skin Corr. 1A, H314 Aquatic Acute 3, H402

Full text of H-phrases: see section 16

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : IF exposed or concerned: Get medical advice/attention.

First-aid measures after inhalation : Remove the victim into fresh air.

First-aid measures after skin contact : Rinse with water. Soap may be used.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persist

First-aid measures after ingestion : Give milk to drink.

## 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Causes severe skin burns and eye damage.

Symptoms/injuries after inhalation : Coughing.

Symptoms/injuries after skin contact : Red skin. Harmful in contact with skin.

Symptoms/injuries after eye contact : Causes serious eye irritation.

Symptoms/injuries after ingestion : Toxic if swallowed.

## 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Water spray.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Not flammable. Explosion hazard : Not applicable.

Reactivity : Violent to explosive reaction with (some) acids.

5.3. Advice for firefighters

Firefighting instructions : No specific fire-fighting instructions required.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

## 6.1.1. For non-emergency personnel

Protective equipment : Safety glasses. Gloves.

#### 6.1.2. For emergency responders

No additional information available

#### 6.2. Environmental precautions

No additional information available

#### 6.3. Methods and material for containment and cleaning up

For containment : Dam up the liquid spill.

Methods for cleaning up : Collect spillage. Wash away neutralized product with plentiful water.

#### 6.4. Reference to other sections

No additional information available

02/12/2015 EN (English) 2/7

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

No additional information available

#### 7.2. Conditions for safe storage, including any incompatibilities

No additional information available

#### 7.3. Specific end use(s)

No additional information available

## **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

PREMIUM ALKALINE STONE CLEANER	
ACGIH	Not applicable
OSHA	Not applicable
potassium hydroxide, 45%= <conc<50%, (1310-58-3)<="" aqueous="" solutions="" td=""></conc<50%,>	

## 8.2. Exposure controls

**ACGIH** 

**OSHA** 

No additional information available

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

ACGIH Ceiling (mg/m³)

Not applicable

Physical state : Liquid

Colour : Mixture contains one or more component(s) which have the following colour(s):

Colourless, Colourless to white, White to light brown

Odour : There may be no odour warning properties, odour is subjective and inadequate to warn of

overexposure.

Mixture contains one or more component(s) which have the following odour(s):

2 mg/m<sup>3</sup>

Odourless, No data available on odour, Pleasant odour

Odour threshold : No data available

pH : >= 13

Relative evaporation rate (butylacetate=1) : No data available Melting point No data available Freezing point : No data available : No data available **Boiling point** Flash point No data available Auto-ignition temperature : No data available No data available Decomposition temperature Flammability (solid, gas) No data available : No data available Vapour pressure Relative vapour density at 20 °C No data available Specific gravity : No data available Solubility Soluble in water.

Water: Solubility in water of component(s) of the mixture :

• potassium hydroxide, 45%=<conc<50%, aqueous solutions: Complete • sodium gluconate:

59 g/100ml

Log Pow : No data available
Log Kow : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidising properties : No data available
Explosive limits : No data available

### 9.2. Other information

No additional information available

02/12/2015 EN (English) 3/7

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Violent to explosive reaction with (some) acids.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

Not established.

#### 10.4. Conditions to avoid

No additional information available

#### 10.5. Incompatible materials

May be corrosive to metals. Strong acids.

#### 10.6. Hazardous decomposition products

None known.

## **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Acute toxicity : Oral: Harmful if swallowed.

PREMIUM ALKALINE STONE CLEANER	
ATE US (oral)	500.000 mg/kg bodyweight

potassium hydroxide, 45%= <conc<50%, (1310-58-3)<="" aqueous="" solutions="" th=""></conc<50%,>	
LD50 oral rat	273 mg/kg (Rat)
ATE US (oral)	273.000 mg/kg bodyweight

Skin corrosion/irritation : Causes severe skin burns and eye damage.

pH: >= 13

Serious eye damage/irritation : Not classified

pH: >= 13

Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated : Not classified

exposure)

exposure)

Not classifica

Aspiration hazard : Not classified Symptoms/injuries after inhalation : Coughing.

Symptoms/injuries after skin contact : Red skin. Harmful in contact with skin.

Symptoms/injuries after eye contact : Causes serious eye irritation.

Symptoms/injuries after ingestion : Toxic if swallowed.

#### **SECTION 12: Ecological information**

## 12.1. Toxicity

Ecology - general : No known adverse effects on the functioning of water treatment plants under normal use

conditions as recommended.

Ecology - air : Not included in the list of fluorinated greenhouse gases (Regulation (EC) No 842/2006).

potassium hydroxide, 45%= <conc<50%, (1310-58-3)<="" aqueous="" solutions="" th=""></conc<50%,>		
LC50 fishes 1	28.6 mg/l (24 h; Pisces; Pure substance)	
LC50 other aquatic organisms 1	100 - 1000 mg/l (96 h)	
LC50 fish 2	80 mg/l (96 h; Gambusia affinis; Pure substance)	
Threshold limit other aquatic organisms 1	100 - 1000,96 h	

02/12/2015 EN (English) 4/7

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 12.2. Persistence and degradability

PREMIUM ALKALINE STONE CLEANER		
Persistence and degradability	Biodegradable in the soil. Biodegradable in the soil under anaerobic conditions.	
potassium hydroxide, 45%= <conc<50%, (1310-58-3)<="" aqueous="" solutions="" th=""></conc<50%,>		
Persistence and degradability	Biodegradability: not applicable. No (test)data on mobility of the components available.	
Biochemical oxygen demand (BOD)	Not applicable	
Chemical oxygen demand (COD)	Not applicable	
ThOD	Not applicable	
BOD (% of ThOD)	Not applicable	

#### 12.3. Bioaccumulative potential

potassium hydroxide, 45%= <conc<50%, (1310-58-3)<="" aqueous="" solutions="" th=""></conc<50%,>	
Bioaccumulative potential	Not bioaccumulative.

### 12.4. Mobility in soil

No additional information available

#### 12.5. Other adverse effects

Effect on ozone layer

Effect on the global warming : No known ecological damage caused by this product.

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Ecology - waste materials : Avoid release to the environment.

## **SECTION 14: Transport information**

In accordance with DOT

Transport document description : UN1814 Potassium hydroxide, solution, 8, III

UN-No.(DOT) : UN1814

Proper Shipping Name (DOT) : Potassium hydroxide, solution

Department of Transportation (DOT) Hazard

Classes

: 8 - Class 8 - Corrosive material 49 CFR 173.136

Hazard labels (DOT) : 8 - Corrosive



Packing group (DOT) : III - Minor Danger
DOT Packaging Exceptions (49 CFR 173.xxx) : 154 Limited Quantities

### **Additional information**

Other information : No supplementary information available.

### **ADR**

Packing group (ADR) : III

Class (ADR) : 8 - Corrosive substances
Danger labels (ADR) : 8 - Corrosive substances



02/12/2015 EN (English) 5/7

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Transport by sea

UN-No. (IMDG) : 1814

Proper Shipping Name (IMDG) : POTASSIUM HYDROXIDE SOLUTION

Class (IMDG) : 8 - Corrosive substances

Packing group (IMDG) : III - substances presenting low danger

Air transport

UN-No.(IATA) : 1814

Proper Shipping Name (IATA) : POTASSIUM HYDROXIDE SOLUTION

Class (IATA) : 8 - Corrosives
Packing group (IATA) : III - Minor Danger

## **SECTION 15: Regulatory information**

#### 15.1. US Federal regulations

No additional information available

#### 15.2. International regulations

**CANADA** 

#### **EU-Regulations**

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Not classified

15.2.2. National regulations

No additional information available

#### 15.3. US State regulations

### **SECTION 16: Other information**

## Full text of H-phrases:

Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 3	Hazardous to the aquatic environment — Acute Hazard, Category 3
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
H301	Toxic if swallowed
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H402	Harmful to aquatic life


NFPA health hazard : 0 - Exposure under fire conditions would offer no hazard

beyond that of ordinary combustible materials.

NFPA fire hazard : 0 - Materials that will not burn.

NFPA reactivity : 0 - Normally stable, even under fire exposure conditions,

and are not reactive with water.



HMIS III Rating

Health : 2 Moderate Hazard - Temporary or minor injury may occur

Flammability : 0 Minimal Hazard Physical : 0 Minimal Hazard

Personal Protection : B

SDS US (GHS HazCom 2012)

02/12/2015 EN (English) 6/7

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

02/12/2015 EN (English) 7/7