Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| and the state state | | |
|---|--|--|
| 1.1. Product identifier | | |
| Product form | : Mixture | |
| Product name | : PREMIUM AUTO MACHINE DISH SOAP | |
| Product code | : P216 | |
| 1.2. Relevant identified uses of the sub | stance or mixture and uses advised against | |
| Use of the substance/mixture | : DETERGENT | |
| 1.3. Details of the supplier of the safety data sheet | | |
| CleanPak Products LLC. 221 Hobbs Street Suite 108 Tampa, Fl 33619 T 813-740-8611 - F 813-740-8218 <u>admin@cleanpakproducts.com</u> - <u>www.cleanpak</u> | <u>kproducts.com</u> | |
| 1.4. Emergency telephone number | | |
| Emergency number | : 1-800-535-5053 InfoTrac | |
| SECTION 2: Hazards identification | | |
| 2.1. Classification of the substance or | mixture | |
| GHS-US classification Skin Corr. 1A H314 Full text of H-phrases: see section 16 | | |
| 2.2. Label elements | | |
| Hazard pictograms (GHS-US) | GH505 | |
| | | |
| Signal word (GHS-US) | | |
| Signal word (GHS-US) Hazard statements (GHS-US) | : Danger : H314 - Causes severe skin burns and eye damage | |
| Hazard statements (GHS-US) | : Danger | |
| Hazard statements (GHS-US) Precautionary statements (GHS-US) | Danger H314 - Causes severe skin burns and eye damage P260 - Do not breathe mist P264 - Wash hands, forearms and face thoroughly after handling P280 - Wear gloves and protective eyewear P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P363 - Wash contaminated clothing before reuse P405 - Store locked up P501 - Dispose of contents/container in accordance with local/regional/national/international | |
| Hazard statements (GHS-US) Precautionary statements (GHS-US) | Danger H314 - Causes severe skin burns and eye damage P260 - Do not breathe mist P264 - Wash hands, forearms and face thoroughly after handling P280 - Wear gloves and protective eyewear P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P363 - Wash contaminated clothing before reuse P405 - Store locked up P501 - Dispose of contents/container in accordance with local/regional/national/international | |
| Hazard statements (GHS-US) Precautionary statements (GHS-US) 2.3. Other hazards | Danger H314 - Causes severe skin burns and eye damage P260 - Do not breathe mist P264 - Wash hands, forearms and face thoroughly after handling P280 - Wear gloves and protective eyewear P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P363 - Wash contaminated clothing before reuse P405 - Store locked up P501 - Dispose of contents/container in accordance with local/regional/national/international | |

3.1. Substance

Not applicable

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

3.2. **Mixture** Name **Product identifier** % **GHS-US classification** sodium hydroxide, conc=50%, aqueous solution (CAS No) 1310-73-2 30 - 50 Skin Corr. 1A, H314 Full text of H-phrases: see section 16 SECTION 4: First aid measures 4.1. **Description of first aid measures** : Remove person to fresh air and keep comfortable for breathing. First-aid measures after inhalation First-aid measures after skin contact Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. First-aid measures after eye contact Immediately rinse with water for a prolonged period while holding the eyelids wide open. Get immediate medical advice/attention. First-aid measures after ingestion : Drink plenty of water. Obtain emergency medical attention. Most important symptoms and effects, both acute and delayed 4.2. No additional information available 4.3. Indication of any immediate medical attention and special treatment needed Treat symptomatically. **SECTION 5: Firefighting measures Extinguishing media** 5.1. : EXTINGUISHING MEDIA FOR SURROUNDING FIRES: Suitable extinguishing media Special hazards arising from the substance or mixture 5.2. Reactivity : Reacts violently with (strong) oxidizers. Reacts violently with (strong) acids. 5.3. **Advice for firefighters** Protection during firefighting : Do not attempt to take action without suitable protective equipment. SECTION 6: Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures 6.1.1. For non-emergency personnel No additional information available 6.1.2. For emergency responders No additional information available 6.2 **Environmental precautions** No additional information available Methods and material for containment and cleaning up 6.3. : Plug the leak, cut off the supply. For containment Methods for cleaning up : Liquid spill: neutralize. 6.4. **Reference to other sections** No additional information available SECTION 7: Handling and storage 7.1. Precautions for safe handling Additional hazards when processed : May be corrosive to metals. 7.2. Conditions for safe storage, including any incompatibilities Incompatible products : Oxidizing agent. Strong acids. Specific end use(s) 7.3. No additional information available **SECTION 8: Exposure controls/personal protection** 8.1. **Control parameters** PREMIUM AUTO MACHINE DISH SOAP ACGIH Not applicable OSHA Not applicable

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| sodium hydroxide, conc=50%, aqueous solution (1310-73-2) | |
|--|--|
| ACGIH | Not applicable |
| OSHA | Not applicable |
| 8.2. Exposure controls | |
| Appropriate engineering controls | : Ensure good ventilation of the work station. |

Personal protective equipment

- : Ensure good ventilation of the work station.
- : Gloves. Safety glasses.



| SECTION 9: Physical and chemica | al properties |
|--|---|
| 9.1. Information on basic physical and chemical properties | |
| Physical state | : Liquid |
| Colour | : Light yellow to colourless |
| Odour | : No data available |
| Odour threshold | : No data available |
| рН | : 13 - 14 |
| Relative evaporation rate (butylacetate=1) | : No data available |
| Melting point | : No data available |
| Freezing point | : No data available |
| Boiling point | : No data available |
| Flash point | : No data available |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Flammability (solid, gas) | : No data available |
| Vapour pressure | : No data available |
| Relative vapour density at 20 °C | : No data available |
| Specific gravity | : ≈ 1.23 |
| Solubility | Soluble in water. Water: Solubility in water of component(s) of the mixture : sodium hydroxide, conc=50%, aqueous solution: Complete • sodium gluconate: 59 g/100ml |
| Log Pow | : No data available |
| Log Kow | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| Explosive properties | : No data available |
| Oxidising properties | : No data available |
| Explosive limits | : No data available |
| 9.2. Other information | |

No additional information available

| SECTION 10: Stability and reactivity | | | |
|---|------------------------------------|--|--|
| 10.1. | Reactivity | | |
| Reacts violently with (strong) oxidizers. Reacts violently with (strong) acids. | | | |
| 10.2. | Chemical stability | | |
| Stable under normal conditions. | | | |
| 10.3. | Possibility of hazardous reactions | | |
| No additional information available | | | |
| 10.4. | Conditions to avoid | | |
| No additional information available | | | |

Safety Data Sheet

| Incording to Federal Register / Vol. 77, No. 58 / Monday | , March 26, 2012 / Rules and Regulations | |
|--|--|--|
| 10.5. Incompatible materials | | |
| Strong acids. Oxidizing agent. | | |
| 10.6. Hazardous decomposition products | S | |
| No additional information available | | |
| SECTION 11: Toxicological information | tion | |
| 11.1. Information on toxicological effects | \$ | |
| Acute toxicity | : Not classified | |
| Skin corrosion/irritation | : Causes severe skin burns and eye damage. pH: 13 - 14 | |
| Serious eye damage/irritation | , Not classified pH: 13 - 14 | |
| Respiratory or skin sensitisation | : Not classified | |
| Germ cell mutagenicity | : Not classified | |
| Carcinogenicity | : Not classified | |
| Reproductive toxicity | : Not classified | |
| Specific target organ toxicity (single exposure) | : Not classified | |
| Specific target organ toxicity (repeated exposure) | : Not classified | |
| Aspiration hazard | : Not classified | |
| SECTION 12: Ecological information | n | |
| 12.1. Toxicity | | |
| No additional information available | | |
| 12.2. Persistence and degradability | | |
| sodium hydroxide, conc=50%, aqueous sol | ution (1310-73-2) | |
| Persistence and degradability | Biodegradability: not applicable. No (test)data on mobility of the components available. | |
| 12.3. Bioaccumulative potential | | |
| sodium hydroxide, conc=50%, aqueous sol | ution (1310-73-2) | |
| Bioaccumulative potential | Does not contain bioaccumulative component(s). | |
| 12.4. Mobility in soil | | |
| No additional information available | | |
| 12.5. Other adverse effects | | |
| Effect on ozone layer | : | |
| Effect on the global warming | : No known ecological damage caused by this product. | |
| SECTION 13: Disposal considerations | | |
| 13.1. Waste treatment methods | | |
| Waste disposal recommendations | : May be discharged to wastewater treatment installation. | |
| SECTION 14: Transport information | | |
| In accordance with DOT | LINIA004 Cadium hudenside actution - 0. III | |
| Transport document description | : UN1824 Sodium hydroxide solution, 8, III | |
| UN-No.(DOT) Proper Shipping Name (DOT) | : UN1824 : Sodium hydroxide solution | |
| Department of Transportation (DOT) Hazard | 8 - Class 8 - Corrosive material 49 CER 173 136 | |

Department of Transportation (DOT) Hazard Classes : 8 - Class 8 - Corrosive material 49 CFR 173.136

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Hazard labels (DOT) | : 8 - Corrosive |
|--|--|
| | |
| Packing group (DOT) | : III - Minor Danger |
| DOT Special Provisions (49 CFR 172.102) | IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). N34 - Aluminum construction materials are not authorized for any part of a packaging which is normally in contact with the hazardous material. T4 - 2.65 178.274(d)(2) Normal |
| DOT Packaging Exceptions (49 CFR 173.xxx) | : 154 |
| DOT Packaging Non Bulk (49 CFR 173.xxx) | : 203 |
| DOT Packaging Bulk (49 CFR 173.xxx) | : 241 |
| DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) | : 5L |
| DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75) | : 60 L |
| DOT Vessel Stowage Location | : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel. |
| DOT Vessel Stowage Other | : 52 - Stow "separated from" acids |
| Additional information | |
| Other information | : No supplementary information available. |
| ADR | |
| No additional information available | |
| Transport by sea | |
| UN-No. (IMDG) | |
| Proper Shipping Name (IMDG) | : SODIUM HYDROXIDE SOLUTION |
| Class (IMDG) | : 8 - Corrosive substances |
| Packing group (IMDG) | : III - substances presenting low danger |
| Air transport | |
| UN-No.(IATA) | : 1824 |
| Proper Shipping Name (IATA) | : SODIUM HYDROXIDE SOLUTION |
| Class (IATA) | : 8 - Corrosives |
| Packing group (IATA) | : III - Minor Danger |
| SECTION 15: Regulatory information | |
| 15.1. US Federal regulations | |
| No additional information available | |
| | |
| 15.2. International regulations | |

EU-Regulations

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD] Not classified

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.2.2. National regulations

No additional information available

15.3. US State regulations

SECTION 16: Other information

| Skin Corr. 1A | Skin corrosion/irritation, Category 1A |
|---------------|---|
| H314 | Causes severe skin burns and eye damage |

HMIS III Rating

| Health | : 2 Moderate Hazard - Temporary or minor injury may occur |
|---------------------|---|
| Flammability | : 0 Minimal Hazard |
| Physical | : 1 Slight Hazard |
| Personal Protection | : B |
| | |

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product