Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

		ostance/mixture and of the company/undertaking
1.1.	Product identifier	
Product f		: Substance
Substand		: OXI-SAFE
Product		: P645
1.2.		stance or mixture and uses advised against
Use of th	ne substance/mixture	: COLOR SAFE STAIN REMOVER AND BRIGHTNER
1.3.	Details of the supplier of the safety	data sheet
221 Hobl Tampa, I T 813-74	k Products LLC. bs Street Suite 108 Fl 33619 I0-8611 - F 813-740-8218 cleanpakproducts.com - www.cleanpak	products.com
1.4.	Emergency telephone number	
	ncy number	: 1-800-535-5053
		InfoTrac
OFOTH		
	ON 2: Hazards identification	
2.1.	Classification of the substance or n	nixture
GHS-US	classification	
Not class	sified	
2.2.	Label elements	
GHS-US	labelling	
	ling applicable	
2.3.	Other hazards	
No additi	ional information available	
2.4.	Unknown acute toxicity (GHS-US)	
Not appli	icable	
SECTI	ON 3: Composition/informatio	on on ingredients
3.1.	Substance	
Name	oustance	: OXI-SAFE
	of H-phrases: see section 16	
3.2.	Mixture	
Not appli	ICADIE	
4.1.	Description of first aid measures	
First-aid	measures after inhalation	: If you feel unwell, seek medical advice.
	measures after skin contact	: Wash skin with plenty of water.
	measures after eye contact	: Rinse eyes with water as a precaution.
First-aid	measures after ingestion	: Drink plenty of water.
4.2.	Most important symptoms and effe	cts, both acute and delayed
No odditi	ional information available	
NU auun	Indication of any immediate medica	al attention and special treatment needed
	indication of any infinediate medica	
4.3.		
4.3. Treat syr	mptomatically.	
4.3. Treat syr SECTI	mptomatically. ON 5: Firefighting measures	
4.3. Treat syr SECTIO	mptomatically.	: EXTINGUISHING MEDIA FOR SURROUNDING FIRES:

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

5.2. Special hazards arising from the substance or mixture		
Reactiv	vity	: Decomposes slowly on exposure to air.
5.3.	Advice for firefighters	
No additional information available		
SECT	FION 6: Accidental release mea	asures
6.1.		quipment and emergency procedures
6.1.1.	For non-emergency personnel	
Protec	tive equipment	: Gloves.
24.0		
6.1.2.	For emergency responders	
NO add	ditional information available	
6.2.	Environmental precautions	
No add	ditional information available	
6.3.	Methods and material for containm	nent and cleaning up
No add	ditional information available	
6.4.	Reference to other sections	
No add	ditional information available	
SECT	FION 7: Handling and storage	
7.1.	Precautions for safe handling	
	ditional information available	
7.2.	Conditions for safe storage, includ	
	um storage period	: >= 6 months
Storag	e area	: Store in a cool area. Store in a dark area. Keep out of direct sunlight. Keep only in the original container.
7.3.	Specific end use(s)	

No additional information available

SECTION 8: Exposure controls/personal protection		
8.1. Control parameters		
OXI-SAFE		
ACGIH	Not applicable	
OSHA	Not applicable	

### 8.2. **Exposure controls**

Appropriate engineering controls

Personal protective equipment

- : Ensure good ventilation of the work station.
- : Gloves. Safety glasses.

<b>SECTION 9: Physical and chemical</b>	I properties
9.1. Information on basic physical and	d chemical properties
Physical state	: Liquid
Colour	: Colourless
Odour	: Almost odourless
Odour threshold	: No data available
pH	: >= 2
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
02/13/2015	EN (English)

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Specific gravity	: ≈ 1.07
Solubility	: Soluble in water. Water:
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

### 9.2. **Other information**

No additional information available

SECTION 10: Stability and reactivity			
10.1. Reactivity			
Decomposes slowly on exposure to air.			
10.2. Chemical stability			
Unstable on exposure to heat.			
10.3. Possibility of hazardous reactions			
Not established.			
10.4. Conditions to avoid			
No additional information available			
10.5. Incompatible materials			
Strong bases.			
10.6. Hazardous decomposition products			
No additional information available			
SECTION 11: Toxicological information			
11.1. Information on toxicological effects			

Acute toxicity	:	Not classified
Skin corrosion/irritation	:	Not classified
		pH: >= 2
Serious eye damage/irritation	:	Not classified
		pH: >= 2
Respiratory or skin sensitisation	:	Not classified
Germ cell mutagenicity	:	Not classified
Carcinogenicity	:	Not classified
Reproductive toxicity	:	Not classified
Specific target organ toxicity (single exposure)	:	Not classified
Specific target organ toxicity (repeated exposure)	:	Not classified
Aspiration hazard	:	Not classified

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

accorang	to rederar register / vol. / /, rto: oc / menday,	
SECT	ION 12: Ecological information	
12.1.	Toxicity	
No additional information available		
12.2.	Persistence and degradability	
No additional information available		
12.3.	Bioaccumulative potential	
No additional information available		
12.4.	Mobility in soil	
No additional information available		
12.5.	Other adverse effects	
Effect on ozone layer :		:
Effect o	n the global warming	: No known ecological damage caused by this product.

SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
Waste disposal recommendations	: May be discharged to wastewater treatment installation.	
<b>SECTION 14: Transport information</b>		
In accordance with DOT		
Transport document description	: UN2014 Hydrogen peroxide, aqueous solutions, 5.1, II	
UN-No.(DOT)	: UN2014	
Proper Shipping Name (DOT)	: Hydrogen peroxide, aqueous solutions	
Department of Transportation (DOT) Hazard Classes	: 5.1 - Class 5.1 - Oxidizer 49 CFR 173.128	
Hazard labels (DOT)	: 5.1 - Oxidiser 8 - Corrosive	



Packing group (DOT)

: II - Medium Danger

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Special Provisions (49 CFR 172.102)	<ul> <li>A2 - Single packagings are not permitted on aircraft.</li> <li>A3 - For combination packagings, if glass inner packagings (including ampoules) are used, they must be packed with absorbent material in tightly closed metal receptacles before packing in outer packagings.</li> <li>A6 - For combination packagings, if plastic inner packagings are used, they must be packed in tightly closed metal receptacles before packing in outer packagings.</li> </ul>
	<ul> <li>B53 - Packagings must be made of either aluminum or steel.</li> <li>IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized.</li> <li>IP5 - IBCs must have a device to allow venting. The inlet to the venting device must be located in the vapor space of the IBC under maximum filing conditions.</li> <li>T7 - 4 178.274(d)(2) Normal</li></ul>
	TP2 - a. The maximum degree of filling must not exceed the degree of filling determined by the following: (image) Where: tr is the maximum mean bulk temperature during transport, tf is the temperature in degrees celsius of the liquid during filling, and a is the mean coefficient of cubical expansion of the liquid between the mean temperature of the liquid during filling (tf) and the maximum mean bulk temperature during transportation (tr) both in degrees celsius. b. For liquids transported under ambient conditions may be calculated using the formula: (image) Where: d15 and d50 are the densities (in units of mass per unit volume) of the liquid at 15 C (59 F) and 50 C (122 F), respectively.
	TP6 - The tank must be equipped with a pressure release device which prevent a tank from bursting under fire engulfment conditions (the conditions prescribed in CGA pamphlet S1.2 (see 171.7 of this subchapter) or alternative conditions approved by the Associate Administrator may be used to consider the fire engulfment condition), taking into account the properties of the hazardous material to be transported. TP24 - The portable tank may be fitted with a device to prevent the build up of excess pressure due to the plane down and the properties of the hazardous material to be fitted with a device to prevent the build up of excess pressure due to the plane down and the properties of the hazardous material based to the plane down and the properties of the hazardous material based to the plane down and the properties of the hazardous material based to the plane down and the properties of the hazardous material based to the plane down and the properties of the hazardous material based to the plane down and the properties of the hazardous material based to the plane down and the properties of the hazardous material based to the plane down and the properties of the hazardous material based to the plane down and the properties of the hazardous material based to the plane down and the properties of the hazardous material based to the plane down and t
	due to the slow decomposition of the hazardous material being transported. The device must be in the vapor space when the tank is filled under maximum filling conditions. This device must also prevent an unacceptable amount of leakage of liquid in the case of overturning. TP37 - IM portable tanks are only authorized for the shipment of hydrogen peroxide solutions in water containing 72% or less hydrogen peroxide by weight. Pressure relief devices shall be designed to prevent the entry of foreign matter, the leakage of liquid and the development of any dangerous excess pressure. In addition, the portable tank must be designed so that internal surfaces may be effectively cleaned and passivated. Each tank must be equipped with pressure relief devices conforming to the following requirements: Total Concentration of hydrogen per peroxide solution \1\ 52% or less 11 Over 52%, but not greater than 60%22 Over 60%, but not greater than 72%32 \1\Total venting capacity in standard cubic feet hour
	(S.C.F.H.) per pound of hydrogen peroxide solution.
DOT Packaging Exceptions (49 CFR 173.xxx)	: None
OOT Packaging Non Bulk (49 CFR 173.xxx)	: 202
OOT Packaging Bulk (49 CFR 173.xxx)	: 243
DOT Quantity Limitations Passenger aircraft/rail 49 CFR 173.27)	
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 5L
DOT Vessel Stowage Location	: D - The material must be stowed "on deck only" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers or one passenger per each 3 m of overall vessel length, but the material is prohibited on passenger vessels in which the limiting number of passengers is exceeded.
DOT Vessel Stowage Other	: 25 - Shade from radiant heat,66 - Stow "separated from" flammable solids,75 - Stow "separated from" permanganates
Additional information	
Other information	: No supplementary information available.
ADR	
No additional information available	
Transport by sea	
	: 2014
UN-NO. (IMDG)	
	: HYDROGEN PEROXIDE, AQUEOUS SOLUTION
UN-No. (IMDG) Proper Shipping Name (IMDG) Class (IMDG)	: HYDROGEN PEROXIDE, AQUEOUS SOLUTION : 5.1 - Oxidizing substances

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Air transport	
UN-No.(IATA)	: 2014
Proper Shipping Name (IATA)	: HYDROGEN PEROXIDE, AQUEOUS SOLUTION
Class (IATA)	: 5.1 - Oxidizing Substances
Packing group (IATA)	: II - Medium Danger

### **SECTION 15: Regulatory information**

## 15.1. US Federal regulations

No additional information available

### 15.2. International regulations CANADA

### **EU-Regulations**

Classification according to Regulation (EC) No. 1272/2008 [CLP] Not classified

## Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Not classified 15.2.2. National regulations

No additional information available

15.3. US State regulations

### **SECTION 16: Other information**

HMIS III Rating	
Health	: 0 Minimal Hazard - No significant risk to health
Flammability	: 0 Minimal Hazard
Physical	: 2 Moderate Hazard
Personal Protection	: B

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product