## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 12/31/2014 Version: 1.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : CAR & TRUCK WASH

Product code : P701

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Car and Truck Wash

1.3. Details of the supplier of the safety data sheet

CleanPak Products LLC. 221 Hobbs Street Suite 108 Tampa, Fl 33619

T 813-740-8611 - F 813-740-8218

admin@cleanpakproducts.com - www.cleanpakproducts.com

1.4. Emergency telephone number

Emergency number : 1-800-535-5053

InfoTrac

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### **GHS-US** classification

Not classified

### 2.2. Label elements

#### **GHS-US** labelling

No labelling applicable

### 2.3. Other hazards

No additional information available

### 2.4. Unknown acute toxicity (GHS-US)

Not applicable

### **SECTION 3: Composition/information on ingredients**

### 3.1. Substance

Not applicable

#### 3.2. Mixture

Name	Product identifier	%	GHS-US classification
dodecylbenzenesulphonic acid	(CAS No) 27176-87-0	1 - 5	Acute Tox. 4 (Oral), H302 Skin Corr. 1A, H314 Aquatic Acute 2, H401
sodium lauryl sulfate	(CAS No) 151-21-3	1 - 5	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Aquatic Acute 2, H401

Full text of H-phrases: see section 16

## **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice.

First-aid measures after eye contact : Immediately rinse with water for a prolonged period while holding the eyelids wide open.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after eye contact : Eye irritation.

### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

02/13/2015 EN (English) Page 1

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media : EXTINGUISHING MEDIA FOR SURROUNDING FIRES:

Unsuitable extinguishing media : No unsuitable extinguishing media known.

#### 5.2. Special hazards arising from the substance or mixture

No additional information available

#### 5.3. Advice for firefighters

No additional information available

### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

No additional information available

#### 6.1.2. For emergency responders

No additional information available

### 6.2. Environmental precautions

No additional information available

### 6.3. Methods and material for containment and cleaning up

No additional information available

#### 6.4. Reference to other sections

No additional information available

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with eyes.

### 7.2. Conditions for safe storage, including any incompatibilities

Maximum storage period : < 3 year

### 7.3. Specific end use(s)

No additional information available

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

CAR & TRUCK WASH	
ACGIH	Not applicable
OSHA	Not applicable
sodium lauryl sulfate (151-21-3)	
ACGIH	Not applicable
OSHA	Not applicable
dodecylbenzenesulphonic acid (27176-87-0)	
ACGIH	Not applicable
OSHA	Not applicable

### 8.2. Exposure controls

No additional information available

## **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : Blue

Odour : Pleasant odour 
Odour threshold : No data available 
pH :  $\approx 7.5 (7 - 8)$ 

02/13/2015 EN (English) 2/6

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Relative evaporation rate (butylacetate=1) : No data available Melting point : No data available

Freezing point :  $< 0 \, ^{\circ}\text{C}$  Boiling point :  $> 100 \, ^{\circ}\text{C}$ 

Flash point : No data available
Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability (solid, gas) : No data available
Vapour pressure : No data available
Relative vapour density at 20 °C : No data available

Specific gravity : ≈ 1.01

Solubility : Soluble in water.

Water: ≈ 100 %

Log Pow : No data available
Log Kow : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidising properties : No data available
Explosive limits : No data available

#### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No additional information available

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No additional information available

#### 10.4. Conditions to avoid

No additional information available

#### 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

None known.

## **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

sodium lauryl sulfate (151-21-3)	odium lauryl sulfate (151-21-3)	
LD50 oral rat	1288 mg/kg (Rat; OECD 401: Acute Oral Toxicity; Literature study; 977 mg/kg bodyweight; Rat; OECD 401: Acute Oral Toxicity; Experimental value; 1427 mg/kg bodyweight; Rat; Experimental value)	
LD50 dermal rat	< 2000 mg/kg (Rat; Literature study)	
LD50 dermal rabbit	> 580 mg/kg (Rabbit; Read-across; Equivalent or similar to OECD 402; >500 mg/kg bodyweight; Rabbit)	
ATE US (oral)	1288.000 mg/kg bodyweight	
ATE US (dermal)	1100.000 mg/kg bodyweight	
dodecylbenzenesulphonic acid (27176-87-0)		
LD50 oral rat	650 mg/kg (Rat; Literature study)	
ATE US (oral)	650.000 mg/kg bodyweight	

02/13/2015 EN (English) 3/6

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

sodium	lauryl	sulfate	(151-21-3)
--------	--------	---------	------------

Skin corrosion/irritation : Not classified

pH:  $\approx 7.5 (7 - 8)$ 

Serious eye damage/irritation : Not classified

pH:  $\approx 7.5 (7 - 8)$ 

Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated

exposure)

: Not classified

Aspiration hazard : Not classified Symptoms/injuries after eye contact : Eye irritation.

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

sodium lauryl sulfate (151-21-3)	
LC50 fishes 1	4.62 mg/l (96 h; Salmo gairdneri (Oncorhynchus mykiss); Nominal concentration)
EC50 Daphnia 1	6.3 - 7.8 mg/l (48 h; Daphnia magna; Static system)
EC50 other aquatic organisms 1	18 mg/l (168 h; Lemna sp.)
LC50 fish 2	7.97 mg/l (96 h; Brachydanio rerio)
EC50 Daphnia 2	12.6 mg/l (48 h; Daphnia pulex)
Threshold limit other aquatic organisms 1	40 mg/l (72 h; Protozoa)
Threshold limit algae 1	14.8 mg/l (72 h; Chlorophyta)
Threshold limit algae 2	0.02 mg/l (192 h; Scenedesmus quadricauda; Growth rate)
dodecylbenzenesulphonic acid (27176-87-0)	
LC50 fishes 1	3.2 - 5.6 mg/l 96 h; Salmo gairdneri (Oncorhynchus mykiss)
EC50 Daphnia 1	1 - 10 mg/l (48 h; Daphnia magna; GLP)
LC50 fish 2	3.5 - 10 mg/l (96 h; Brachydanio rerio)
EC50 Daphnia 2	5.88 mg/l (48 h; Daphnia magna)
TLM fish 1	4.2 - 5.6,96 h; Lepomis macrochirus; Soft water
TLM fish 2	4.2 - 5.6,96 h; Pimephales promelas; Soft water
Threshold limit algae 1	29 mg/l (96 h; Selenastrum capricornutum)
Threshold limit algae 2	127.9 mg/l (72 h; Scenedesmus subspicatus; GLP)

## 12.2. Persistence and degradability

sodium lauryl sulfate (151-21-3)		
Persistence and degradability		
dodecylbenzenesulphonic acid (27176-87-0)		
Persistence and degradability	Readily biodegradable in water. Low potential for adsorption in soil.	
Chemical oxygen demand (COD)	2.41 g O₂/g substance	

### 12.3. Bioaccumulative potential

sodium lauryl sulfate (151-21-3)	odium lauryl sulfate (151-21-3)	
BCF fish 1	3.9 - 5.3 (72 h; Cyprinus carpio)	
BCF fish 2	7.15 (Pisces; Chronic)	
Log Pow	1.6	
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).	
dodecylbenzenesulphonic acid (27176-87-0)		
BCF fish 1	108 - 551 (Pisces)	
BCF fish 2	130 (72 h; Leuciscus idus)	
BCF other aquatic organisms 1	140 (120 h; Bacteria)	
BCF other aquatic organisms 2	60 (24 h; Chlorophyta)	
Log Pow	1.96	

02/13/2015 EN (English) 4/6

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

sodium lauryl sulfate (151-21-3)		
	Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).

12.4. Mobility in soil

### dodecylbenzenesulphonic acid (27176-87-0)

Surface tension 35 N/m (25 °C; 800 mg/l)

12.5. Other adverse effects

Effect on ozone layer

Effect on the global warming : No known ecological damage caused by this product.

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

No additional information available

### **SECTION 14: Transport information**

In accordance with DOT

Not regulated for transport

#### **Additional information**

Other information : No supplementary information available.

#### **ADR**

No additional information available

#### Transport by sea

No additional information available

#### Air transport

No additional information available

## **SECTION 15: Regulatory information**

#### 15.1. US Federal regulations

No additional information available

### 15.2. International regulations

**CANADA** 

#### **EU-Regulations**

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Not classified

15.2.2. National regulations

No additional information available

15.3. US State regulations

## **SECTION 16: Other information**

Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.

02/13/2015 EN (English) 5/6

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### Full text of H-phrases:

Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 2	Hazardous to the aquatic environment — Acute Hazard, Category 2
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
H302	Harmful if swallowed
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H401	Toxic to aquatic life


NFPA health hazard : 0 - Exposure under fire conditions would offer no hazard

beyond that of ordinary combustible materials.

NFPA fire hazard : 0 - Materials that will not burn.

NFPA reactivity : 0 - Normally stable, even under fire exposure conditions,

and are not reactive with water.



HMIS III Rating

Health : 0 Minimal Hazard - No significant risk to health

Flammability : 0 Minimal Hazard Physical : 0 Minimal Hazard

Personal Protection : A

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

02/13/2015 EN (English) 6/6